

Working Draft, May 19, 2003  
Maturity Level: Development

Important information to review is highlighted like this.

There are 2 ISSUES highlighted like this.

## The Printer Working Group (PWG) Standard for The Internet Printing Protocol (IPP): Job Extensions

**Abstract:** This IPP specification extends the Job semantics of the IPP Model and Semantics [rfc2911] object model. This specification defines the Close-Job operation and some new Operation attributes for use in Job Creation and Document Creation operations. The Printer copies the Job attributes to the corresponding Job Description attributes which the clients may query. The Document Creation Operation attributes describe the Document Content and permit the Printer to reject requests that it cannot process correctly. Corresponding "xxx-default" and "xxx-supported" Printer attributes are defined. This specification also defines some additional values for the "job-state-reasons" Job Description attribute. Each of the operations and attributes defined in this specification are independent of each other and OPTIONAL for a Printer to support.



Working Draft, May 19, 2003

# The Printer Working Group (PWG) Standard for The Internet Printing Protocol (IPP): Job Extensions

This version of the PWG Proposed Standard is available electronically at:

[ftp://ftp.pwg.org/pub/pwg/ipp/new\\_JOBX/wd-ippjobx10-20030519.pdf](ftp://ftp.pwg.org/pub/pwg/ipp/new_JOBX/wd-ippjobx10-20030519.pdf), .doc, .rtf

This document is a Working Draft for an IEEE-ISTO PWG Candidate Standard. For a definition of a "PWG Candidate Standard" and its transition to a "PWG Standard", see: <ftp://ftp.pwg.org/pub/pwg/general/pwg->

Standard, the resulting PWG Candidate Standard will be available electronically at: <ftp://ftp.pwg.org/pub/pwg/cs/>. After approval by the PWG (by a Last Call) to transition a PWG Candidate Standard to a PWG Standard, the resulting PWG Standard will be available electronically at: <ftp://ftp.pwg.org/pub/pwg/standards/>.

36 **Copyright (C) 2003, IEEE ISTO. All rights reserved.**

37 This document may be copied and furnished to others, and derivative works that comment on, or otherwise explain it  
38 or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without  
39 restriction of any kind, provided that the above copyright notice, this paragraph and the title of the Document as  
40 referenced below are included on all such copies and derivative works. However, this document itself may not be  
41 modified in any way, such as by removing the copyright notice or references to the IEEE-ISTO and the Printer  
42 Working Group, a program of the IEEE-ISTO.

43 Title: The Printer Working Group Standard for the Internet Printing Protocol (IPP): Job and Document  
44 Operation extensions

45 The IEEE-ISTO and the Printer Working Group DISCLAIM ANY AND ALL WARRANTIES, WHETHER EXPRESS  
46 OR IMPLIED INCLUDING (WITHOUT LIMITATION) ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR  
47 FITNESS FOR A PARTICULAR PURPOSE.

48 The Printer Working Group, a program of the IEEE-ISTO, reserves the right to make changes to the document  
49 without further notice. The document may be updated, replaced or made obsolete by other documents at any time.

50 The IEEE-ISTO takes no position regarding the validity or scope of any intellectual property or other rights that might  
51 be claimed to pertain to the implementation or use of the technology described in this document or the extent to  
52 which any license under such rights might or might not be available; neither does it represent that it has made any  
53 effort to identify any such rights.

54 The IEEE-ISTO invites any interested party to bring to its attention any copyrights, patents, or patent applications, or  
55 other proprietary rights which may cover technology that may be required to implement the contents of this  
56 document. The IEEE-ISTO and its programs shall not be responsible for identifying patents for which a license may  
57 be required by a document and/or IEEE-ISTO Industry Group Standard or for conducting inquiries into the legal  
58 validity or scope of those patents that are brought to its attention. Inquiries may be submitted to the IEEE-ISTO by e-  
59 mail at:

60 [ieee-isto@ieee.org](mailto:ieee-isto@ieee.org).

61 The Printer Working Group acknowledges that the IEEE-ISTO (acting itself or through its designees) is, and shall at  
62 all times, be the sole entity that may authorize the use of certification marks, trademarks, or other special  
63 designations to indicate compliance with these materials.

64 Use of this document is wholly voluntary. The existence of this document does not imply that there are no other  
65 ways to produce, test, measure, purchase, market, or provide other goods and services related to its scope.

66

## About the IEEE-ISTO

The IEEE-ISTO is a not-for-profit corporation offering industry groups an innovative and flexible operational forum and support services. The IEEE-ISTO provides a forum not only to develop standards, but also to facilitate activities that support the implementation and acceptance of standards in the marketplace. The organization is affiliated with the IEEE (<http://www.ieee.org/>) and the IEEE Standards Association (<http://standards.ieee.org/>).

For additional information regarding the IEEE-ISTO and its industry programs visit <http://www.ieee-isto.org>.

## About the IEEE-ISTO PWG

The Printer Working Group (or PWG) is a Program of the IEEE Industry Standards and Technology Organization (ISTO) with member organizations including printer manufacturers, print server developers, operating system providers, network operating systems providers, network connectivity vendors, and print management application developers. The group is chartered to make printers and the applications and operating systems supporting them work together better. All references to the PWG in this document implicitly mean "The Printer Working Group, a Program of the IEEE ISTO." In order to meet this objective, the PWG will document the results of their work as open standards that define print related protocols, interfaces, procedures and conventions. Printer manufacturers and vendors of printer related software will benefit from the interoperability provided by voluntary conformance to these standards.

In general, a PWG standard is a specification that is stable, well understood, and is technically competent, has multiple, independent and interoperable implementations with substantial operational experience, and enjoys significant public support.

For additional information regarding the Printer Working Group visit: <http://www.pwg.org>

## Contact information:

IPP Web Page: <http://www.pwg.org/ipp/>  
IPP Mailing List: [ipp@pwg.org](mailto:ipp@pwg.org)

To subscribe to the ipp mailing list, send the following email:

- 1) send it to [majordomo@pwg.org](mailto:majordomo@pwg.org)
- 2) leave the subject line blank
- 3) put the following two lines in the message body:  
subscribe ipp  
end

Implementers of this specification are encouraged to join the IPP Mailing List in order to participate in any discussions of clarifications or review of registration proposals for additional names. Requests for additional extensions, for inclusion in this specification, should be sent to the IPP Mailing list for consideration. In order to reduce spam the mailing list rejects mail from non-subscribers, so you must subscribe to the mailing list in order to send a question or comment to the mailing list.

## Contents

106	<b>Contents</b>	
107	<b>1 Introduction and Summary</b>	8
108	1.1 Scope .....	8
109	<b>2 Terminology</b>	9
110	2.1 Conformance Terminology .....	10
111	2.2 Other Terminology .....	10
112	<b>3 New Job operations</b>	10
113	3.1 Close-Job .....	10
114	3.1.1 Close-Job Request .....	11
115	3.1.2 Close-Job Response .....	11
116	<b>4 Operation Attributes for Job Creation and Document Creation operations</b>	12
117	4.1 Operation attributes for Job Creation operations .....	14
118	4.1.1 ipp-attribute-fidelity (boolean) ([rfc2911] section 3.2.1 and 15) .....	14
119	4.1.2 job-mandatory-attributes (1setOf type2 keyword) Operation attribute .....	14
120	4.1.3 output-device-requested (name(127)) .....	15
121	4.2 Operation attributes for Document Creation operations .....	15
122	4.2.1 document-charset (charset) .....	15
123	4.2.2 document-digital-signature (type2 keyword) .....	16
124	4.2.3 document-format (mimeType) .....	17
125	4.2.4 document-format-details (1setOf collection) .....	18
126	4.2.4.1 document-source-application-name (name(MAX)) .....	19
127	4.2.4.2 document-source-application-version (text(127)) .....	19
128	4.2.4.3 document-source-os-name (name(40)) .....	20
129	4.2.4.4 document-source-os-version (text(40)) .....	20
130	4.2.4.5 document-format (mimeType) .....	20
131	4.2.4.6 document-format-device-id (text(127)) .....	20
132	4.2.4.7 document-format-version (text(127)) .....	21
133	4.2.4.8 document-natural-language (naturalLanguage) .....	21
134	4.2.5 document-format-version (text(127)) .....	21
135	4.2.6 document-natural-language (naturalLanguage) .....	22
136	<b>5 Job Template attributes</b>	22
137	5.1 Job Template attributes defined for use with multi-document jobs .....	23
138	5.1.1 job-copies (integer(1:MAX)) .....	23
139	5.1.1.1 job-copies-default (integer(1:MAX)) .....	23
140	5.1.1.2 job-copies-supported (rangeOfInteger(1:MAX)) .....	23
141	5.1.2 job-cover-back (collection) .....	24
142	5.1.2.1 job-cover-back-default (collection) .....	24
143	5.1.2.2 job-cover-back-supported (1setOf type2 keyword) .....	24
144	5.1.3 job-cover-front (collection) .....	24
145	5.1.3.1 job-cover-front-default (collection) .....	24
146	5.1.3.2 job-cover-front-supported (1setOf type2 keyword) .....	24
147	5.1.4 job-finishings (1setOf type2 enum) .....	24
148	5.1.4.1 job-finishings-default (1setOf type2 enum) .....	24
149	5.1.4.2 job-finishings-ready (1setOf type2 enum) .....	25
150	5.1.4.3 job-finishings-supported (1setOf type2 keyword) .....	25
151	5.1.5 job-finishings-col (1setOf collection) .....	25
152	5.1.5.1 job-finishings-col-default (collection) .....	25
153	5.1.5.2 job-finishings-col-ready (collection) .....	25

154	5.1.5.3 job-finishings-col-supported (1setOf type2 keyword)	25
155	6 Job Description attributes	25
156	6.1 ipp-attribute-fidelity (boolean) .....	26
157	6.2 job-errors-count (integer(0:MAX)) .....	26
158	6.3 job-mandatory-attributes (1setOf type2 keyword).....	27
159	6.4 job-warnings-count (integer(0:MAX)) .....	27
160	6.5 output-device-requested (name(127)) .....	27
161	7 New values to existing attributes	27
162	7.1 New job-state-reasons(1setOf type2 keyword) Values.....	27
163	8 New Printer Description attributes	28
164	8.1 document-charset-default (charset) .....	29
165	8.2 document-charset-supported (1setOf charset) .....	29
166	8.3 document-digital-signature-default (type2 keyword).....	29
167	8.4 document-digital-signature-supported (1setOf type2 keyword).....	29
168	8.5 document-format-details-default (collection).....	30
169	8.6 document-format-details-supported (1setOf type2 keyword).....	30
170	8.7 document-format-details-implemented (1setOf collection) .....	30
171	8.8 document-format-version-default (text(127)) .....	31
172	8.9 document-format-version-supported (1setOf text(127)) .....	31
173	8.10 document-natural-language-default (naturalLanguage) .....	31
174	8.11 document-natural-language-supported (1setOf naturalLanguage) .....	31
175	8.12 output-device-requested-supported (1setOf name(127)) .....	32
176	9 New Values for Existing Printer Description Attributes	32
177	9.1 operations-supported (1setOf type2 enum) .....	32
178	<b>10 Conformance Requirements</b>	32
179	<b>10.1 Printer conformance requirements</b> .....	32
180	<b>10.2 Client conformance requirements</b> .....	32
181	11 Normative References	33
182	12 Informative References	34
183	13 IANA Considerations	35
184	13.1 Attribute Registrations.....	35
185	13.2 Keyword attribute values.....	37
186	13.3 Enum Attribute Values .....	37
187	13.4 Operations.....	37
188	14 Internationalization Considerations	38
189	15 Security Considerations	38

190	16	Contributors	38
191	17	Acknowledgments	38
192	18	Author's Address	38
193	19	Annex B: Change Log (informative)	38
194			

## 195 Table of Tables

196	Table 1 - Summary of operations .....	8
197	Table 2 - Summary of Job Creation Operation attributes .....	8
198	Table 3 - Summary of Document Creation Operation Attributes .....	9
199	Table 4 - Summary of Job Template Attributes.....	9
200	Table 5 - Operation, Default, and Supported Attributes.....	12
201	Table 6 - Operation Attributes supplied in Job and Document Creation Requests .....	13
202	Table 7 - "document-format-details" member Operation attributes.....	19
203	Table 8 - Job Template attributes .....	22
204	Table 9 - Job Description attributes .....	26
205	Table 10 - New "job-state-reasons" attribute values .....	28
206	Table 11 - New Printer Description attributes .....	29
207	Table 12 - Keyword values of "document-format-details-supported Printer attribute .....	30
208	Table 13 - Member attributes of the "document-format-details-implemented" Printer attribute.....	30
209	Table 14 - Operation-id assignments .....	32
210		
211		

## 1 Introduction and Summary

This IPP specification extends the Job semantics of the IPP Model and Semantics [rfc2911] object model. This specification defines the Close-Job operation and some new Operation attributes for use in Job Creation and Document Creation operations. The Printer copies the Job attributes to the corresponding Job Description attributes which the clients may query. The Document Creation Operation attributes describe the Document Content and permit the Printer to reject requests that it cannot process correctly. Corresponding "xxx-default" and "xxx-supported" Printer attributes are defined. This specification also defines some additional values for the "job-state-reasons" Job Description attribute. Each of the operations and attributes defined in this specification are independent of each other and OPTIONAL for a Printer to support.

The intent is to propose this specification as an IPP extension and which will be referenced as part of the PWG Semantic Model. The purpose for these extensions is so that the print industry can have a common semantic specification for use in IPP, the PWG Semantic Model [pwg-sm], the PWG Print Service Interface (PSI) project [pwg-psi], the PWG IPP Fax (IPPFAX) project [ippfax], and the Free Standards Group Job Ticket API [fsg-jt]. Note: There are a number of footnotes which relate this IPP specification to the PWG Semantic model and other PWG projects, such as the Print Service Interface (PSI) [pwg-psi].

### 1.1 Scope

Table 1 summarizes the new operations defined in this specification.

Table 1 - Summary of operations

Operation Name	Printer support	Brief Description
Close-Job	OPTIONAL	Closes a multi-document Job.

Table 2 summarizes the Operation attributes defined in this specification for use with Job Creation operations. The Printer copies these Operation attributes to corresponding Job Description attributes defined in this specification.

Table 2 - Summary of Job Creation Operation attributes

Operation attribute	Printer support	Description
ipp-attribute-fidelity (boolean)	MUST	Allows the client to indicate whether or not the Printer MUST support all Job Template attributes supplied in Job Creation operations or MUST reject the job. Defined in [rfc2911] section 3.2.1.2 and 15.
job-mandatory-attributes (1setOf type2 keyword)	MAY	Allows the client to list which Job Template attributes that the Printer MUST support when supplied in Job Creation operations or MUST reject the job.

Table 3 summarizes the Operation attributes defined in this specification for use with Document Creation operations. These Operation attributes allow the client to supply descriptions of the Document Content to the Printer about



individual Document Contents at request time. This specification does *not* define corresponding Document Description attributes, since this specification does not include or depend on a Document object<sup>1</sup>.

**Table 3 - Summary of Document Creation Operation Attributes**

Operation attribute	Printer support	Description
document-charset (charset)	CMUST <sup>2</sup>	The charset of the Document content
document-digital-signature (type2 keyword)	MAY	The type of digital signature, if any used in the Document Content.
document-format-details (1setOf collection)	CMUST <sup>3</sup>	The details of the Document Content, including when its package of files (zip, multipart/related), such as application and operating system that created the document, the intended device type (when the format is device-dependent), the natural languages of the document.
document-format-version (text(127))	MAY	The version of the document format.
document-format-natural-language (naturalLanguage)	MAY	The primary natural language of the Document Content.
job-mandatory-attributes (1setOf type2 keywords)	MAY	The Job Template attributes that the client is requesting that the Printer MUST support or reject the Job.
output-device-requested (name(127))	MAY	The output device that the client is requesting for a Printer that represents multiple output devices.

Table 4 summarizes the Job Template attributes defined in this specification for use with Job Creation operations. These Job Template attributes are defined to apply to the Job as a whole, independent of the value of the "multiple-document-handling" Job Template attribute ([rfc2911] section 4.2.4) whose 'separate-documents-collated-copies' and 'separate-documents-uncollated-copies' which cause the Printer to produce separate Output Documents.

**Table 4 - Summary of Job Template Attributes**

Job Template attribute	Printer support	Description
job-copies (integer(1:MAX))	MAY	The number of copies of the entire Job.
job-cover-back (collection)	MAY	The cover for the back of the entire Job.
job-cover-front (collection)	MAY	The cover for the front of the entire Job.
job-finishings (1setOf type2 enum)	MAY	The finishing for the entire Job.
job-finishings-col (1setOf collection)	MAY	The finishing characteristics for the entire Job.

## 2 Terminology

This section defines terminology used throughout this document.

<sup>1</sup> For Document Description attributes that correspond to the Operation attributes defined for Document Creation operations, see the Document object defined in [ippdoc].

<sup>2</sup> The Printer MUST support the "document-charset" operation attribute if the Printer supports a document-format in which the charset may be ambiguous in the Document content, such as 'application/vnd.hp-PCL' where the charset escape sequence MAY be omitted from the data (see section 4.2.1).

<sup>3</sup> The Printer MUST support the "document-format-details" operation attribute, if the Printer supports a packaging document format, such as 'application/zip' or 'multipart/related'

## 2.1 Conformance Terminology

Capitalized terms, such as **MUST**, **MUST NOT**, **REQUIRED**, **SHOULD**, **SHOULD NOT**, **MAY**, and **OPTIONAL**, have special meaning relating to conformance as defined in RFC 2119 [rfc2119]. All of the operations and attributes defined in the specification are independently **OPTIONAL**. If an implementation supports an operation or attribute extension described in this specification, then these terms apply to the implementation of that operation or attribute; otherwise, they do not. For example, the term **MUST** in this document means “**MUST** if this **OPTIONAL** operation or attribute is implemented”.

The term **CONDITIONALLY REQUIRED** means that the Printer **MUST** support the feature, if the specified condition is true. The term **CMUST** means **MUST** if the specified “condition” is true.

## 2.2 Other Terminology

This document uses the same terminology as [rfc2911], such as “**client**”, “**Printer**”, “**attribute**”, “**attribute value**”, “**keyword**”, “**Job Template attribute**”, “**Operation attribute**”, “**operation**”, “**request**”, “**response**”, and “**support**” with the same meaning. In addition, the following terms are defined for use in this document:

**Document Creation operation** - operations that accept Document Content. Specifically: Print-Job, Print-URI, Send-Document and Send-URI. Note: the Print-Job and Print-URI are both **Job Creation** and **Document Creation** operations.

**Honor** - a Printer is said to **Honor** an attribute supplied by the client, if the Printer **supports** that attribute and the supplied value and performs the indicated semantics. If the client supplies the “ipp-attribute-fidelity” or “job-mandatory-attributes” Operation attribute, the client is indicating which supplied Job Template attributes the Printer **MUST Honor**.

**Job Attribute** - an **Operation attribute** or a **Job Template attribute** that applies to the Job (object) as a whole. For example, “job-name” is an **Operation attribute** and “job-priority” is a **Job Template attribute**.

**Job Creation operation** - operations that create Job objects, specifically: Print-Job, Print-URI, and Create-Job as defined in [rfc2911].

**Operation attribute** - an attribute supplied by a client in the Operation Attribute group of a request in order to affect the behavior of the operation or an attribute returned by the Printer in the Operation Attributes group in an operation response in order to report the results of the operation. For some Operation attributes the Printer copies the values supplied by the client to corresponding Job Description attributes.

## 3 New Job operations

This section defines the new Close-Job operation.

### 3.1 Close-Job

This **OPTIONAL** operation closes the Job. The Printer **MUST** support this operation. The client **SHOULD** issue this operation to close the job, instead of supplying the “last-document” Operation attribute with a ‘true’ value in a

---

<sup>4</sup> [rfc2911] uses the terms “Printer object” and “Printer” interchangeably to mean the same thing. For simplicity, this document uses the term “Printer” exclusively, except for definitions copied directly from [rfc2911]. None the less, the intent is as in [rfc2911]: a Printer is an object that **MAY** be hosted in the device or in a server as in [rfc2911].

283 Document Creation operation (or a Send-Document operation with no data - see [rfc2911] section 3.3.1). The Printer  
284 MUST support both means of closing jobs for backward compatibility with [rfc2911].

285 If the Job has already been closed (either by a Close-Job operation or by the client supplying the "last-document"  
286 operation attribute with a 'true' value), the Printer MUST reject the request and return the 'client-error-not-possible'  
287 (see [rfc2911] section 13.1.4.5) status code.

288 *Access Rights:* The authenticated user (see [rfc2911] section 8.3) performing this operation must either be the job  
289 owner (as determined in the Create-Job operation) or an operator or administrator of the Printer (see [rfc2911]  
290 sections 1 and 8.5). Otherwise, the Printer MUST reject the operation and return: 'client-error-forbidden', 'client-error-  
291 not-authenticated', or 'client-error-not-authorized' as appropriate.

### 292 3.1.1 Close-Job Request

293 The client supplies the following groups as part of the Close-Job Request:

#### 294 Group 1: Operation Attributes

##### 295 Natural Language and Character Set:

296 First, the client MUST supply the "attributes-charset" and "attributes-natural-language" Operation attributes  
297 as described in [rfc2911] section 3.1.4.1. The Printer MUST copy these values to the corresponding Job  
298 Description attributes described in [rfc2911] sections 4.3.19 and 4.3.20.

##### 299 Target:

300 Next, the client MUST supply either (1) the "printer-uri" (uri) plus "job-id" (integer(1:MAX)) or (2) the "job-uri"  
301 (uri) Operation attribute(s) which define the target Job object for this operation as described in [rfc2911]  
302 section 3.1.5. The client MAY supply the remaining Operation attributes in any order following:

##### 303 Requesting User Name:

304 The "requesting-user-name" (name(MAX)) attribute SHOULD be supplied by the client as described in  
305 [rfc2911] section 8.3.

### 306 3.1.2 Close-Job Response

307 The Printer MUST return the following sets of attributes to the client as part of the Close-Job response:

#### 308 Group 1: Operation Attributes

##### 309 Status Message:

310 In addition to the REQUIRED status code returned in every response, the response OPTIONALLY includes a  
311 "status-message" (text(255)) and/or a "detailed-status-message" (text(MAX)) Operation attribute as  
312 described in [rfc2911] sections 13 and 3.1.6.

##### 313 Natural Language and Character Set:

314 The "attributes-charset" and "attributes-natural-language" attributes as described in [rfc2911] section 3.1.4.2.

#### 315 Group 2: Unsupported Attributes

316 See [rfc2911] section 3.1.7 for details on returning Unsupported Attributes.

**Group 3: Job Object Attributes**

In addition, the Printer MUST return the same Job status attributes that [rfc2911] REQUIRES for the Send-Document and Send-URI operation responses (which are the same as for the Print-Job response - [rfc2911] section 3.2.1.2):

- "job-uri" (uri) - see [rfc2911] section 4.3.1
- "job-id" (integer(1:MAX)) - see [rfc2911] section 4.3.2
- "job-state" (type1 enum) - see [rfc2911] section 4.3.7
- "job-state-reasons" (1setOf type2 keyword) - see [rfc2911] section 4.3.8

The Printer MAY return:

- "job-state-message" (text(MAX)) - see [rfc2911] section 4.3.9
- "number-of-intervening-jobs" (integer(0:MAX)) - see [rfc2911] section 4.3.15

**4 Operation Attributes for Job Creation and Document Creation operations**

This section defines Operation attributes for use in Job Creation operations and/or Document Creation operations. .  
 Note: As in [rfc2911] Operation attributes relate to the operation and do not depend on the printing capabilities of the Printer.

Table 5 lists the Operation attributes and their attributes syntaxes supplied in Job Creation and Document Creation operations and the attribute syntaxes of their corresponding "xxx-default" and "xxx-supported" Printer Description attributes, if any. A "-" indicates that there isn't a "xxx-default" or "xxx-supported" Printer Description attribute.

**Table 5 - Operation, Default, and Supported Attributes**

Operation attribute: attribute name "xxx"	Operation attribute syntax	Printer: Default Value attribute syntax "xxx-default"	Printer: Supported Values attribute syntax "xxx-supported"
<b>document-charset</b>	charset	charset	1setOf charset
<b>document-digital-signature</b>	type2 keyword	type2 keyword	1setOf type2 keyword
<b>document-format</b>	mimeMediaType	mimeMediaType	1setOf mimeMediaType
<b>document-format-details</b>	1setOf collection	1setOf collection	1setOf type2 keyword <sup>5</sup>
document-source-application-name	name(MAX)	name(MAX)	-
document-source-application-version	text(127)	text(127)	-
document-source-os-name	name(40)	name(40)	-
document-source-os-version	text(40)	text(40)	-
document-format	mimeMediaType	mimeMediaType	-
document-format-device-id	text(127)	text(127)	-
document-format-version	text(127)	text(127)	-
document-natural-language	naturalLanguage	naturalLanguage	-
document-format-version	text(127)	text(127)	1setOf text(127)
document-natural-language	naturalLanguage	naturalLanguage	1setOf naturalLanguage
job-mandatory-attributes	1setOf type2 keyword	-	-
output-device-requested	name(127)	-	1setOf name(127)

<sup>5</sup> There is also a "document-format-details-implemented" (1setOf collection), see section 8.7.

339 Table 6 lists the Operation attributes that clients supply in Job and Document Creation operations and whether the  
 340 Printer copies (indicated by “⇒”) the supplied value to the corresponding Job Description<sup>6</sup> attribute.

<b>Legend:</b>	
<b>“Creation operations”</b>	column indicates which operations the Operation attribute can be supplied in: PJ=Print-Job, PU=Print-URI, CJ=Create-Job, SD=Send-Document, and SU=Send-URI.
<b>“y”</b>	the Operation attribute is defined for use with the indicated operations.
<b>“y⇒”</b>	the Operation attribute is defined for use with the indicated operations and has a corresponding Job Description attribute (see Table 9) defined to which the Printer MAY copy this Operation attribute. See Table 5 for whether there are corresponding “xxx-default” and “xxx-supported” Printer Description attribute defined.
<b>“-”</b>	the Operation attribute is <i>not</i> defined for the indicated operation.
<b>“Conformance”</b>	column indicates the conformance requirements for what the client supplies in a request and the Printer supports in a request.
<b>“Section”</b>	column indicates where the Operation attribute is defined in this spec.

341

342

**Table 6 - Operation Attributes supplied in Job and Document Creation Requests**

Operation attribute name for Job and Document Creation requests	Attribute Syntax	Creation operations			Conformance		Section
		CJ	PJ, PU	SD, SU	Client supply	Printer support	
<b>document-charset</b>	charset	-	<b>y</b>	<b>y</b>	MAY	CMUST <sup>7</sup>	§4.2.1
<b>document-digital-signature</b>	type2 keyword	-	<b>y</b>	<b>y</b>	MAY	MAY	§4.2.2
<b>document-format</b>	mimeMediaType	-	<b>y</b>	<b>y</b>	MAY	MUST	§4.2.3
<b>document-format-details</b>	1setOf collection	-	<b>y</b>	<b>y</b>	MAY	CMUST <sup>8</sup>	§4.2.4
<b>document-source-application-name</b>	name(MAX)	-	<b>y</b>	<b>y</b>	MAY	MAY	§4.2.4.1
<b>document-source-application-version</b>	text(127)	-	<b>y</b>	<b>y</b>	MAY	MAY	§4.2.4.2
<b>document-source-os-name</b>	name(40)	-	<b>y</b>	<b>y</b>	MAY	MAY	§4.2.4.3
<b>document-source-os-version</b>	text(40)	-	<b>y</b>	<b>y</b>	MAY	MAY	§4.2.4.4
<b>document-format</b>	mimeMediaType	-	<b>y</b>	<b>y</b>	MUST	MUST	§4.2.4.5
<b>document-format-device-id</b>	text(127)	-	<b>y</b>	<b>y</b>	MAY	MAY	§4.2.4.6
<b>document-format-version</b>	text(127)	-	<b>y</b>	<b>y</b>	SHOULD	MUST	§4.2.4.7
<b>document-natural-language</b>	naturalLanguage	-	<b>y</b>	<b>y</b>	MAY	MAY	§4.2.4.8
<b>document-format-version</b>	text(127)	-	<b>y</b>	<b>y</b>	MAY	MAY	§4.2.5
<b>document-natural-language</b>	naturalLanguage	-	<b>y</b>	<b>y</b>	MAY	MAY	§4.2.6
<b>ipp-attribute-fidelity</b>	boolean	<b>y⇒</b> <sup>9</sup>	<b>y⇒</b> <sup>9</sup>	-	MAY	MUST	§4.1.1,
<b>job-mandatory-attributes</b>	1setOf type2 keyword	<b>y⇒</b>	<b>y⇒</b>		MAY	MUST	§4.1.2

<sup>6</sup> The operations defined for Document Creation operations do not have corresponding Document Description attributes defined in this specification, since this specification does not assume that there is a Document object. See [ippdoc] for the corresponding Document Description attributes.

<sup>7</sup> The Printer MUST support the “document-charset” Operation/Document Description attributes, if the Printer supports a charset-ambiguous document format (see section 4.2.1).

<sup>8</sup> The Printer MUST support the “document-format-details” Operation/Document Description attributes if the Printer supports a *packaging* MIME type document format, such as ‘application/zip’ or ‘multipart/related’.

<sup>9</sup> The Printer MAY copy the “ipp-attribute-fidelity” Operation attribute to the corresponding (new) Job Description attribute defined in this specification, if supported.

Operation attribute name for Job and Document Creation requests	Attribute Syntax	Creation operations			Conformance		Section
		CJ	PJ, PU	SD, SU	Client supply	Printer support	
output-device-requested	name(127)	y⇒	y⇒		MAY	MAY	§4.1.3

## 4.1 Operation attributes for Job Creation operations

This section defines additional operation attributes that the client MAY supply in Job Creation operations (Print-Job, Print-URI, and Create-Job).

### 4.1.1 ipp-attribute-fidelity (boolean) ([rfc2911] section 3.2.1 and 15)

This REQUIRED Operation attribute specifies the policy for the Printer to use (see [rfc2911] §3.2.1.1)\_when the client supplies unsupported Job Template attributes<sup>10</sup> or value in a Job Creation operation. The value 'true' indicates that total fidelity to client-supplied Job Template attributes and values is required for this Job Creation operation. If the client supplies the value 'false' or omits the attribute, then the Printer MUST accept the Job Creation operation.

The Printer MUST copy this attribute to the corresponding (new) Job Description attribute (see section 6.1).

### 4.1.2 job-mandatory-attributes (1setOf type2 keyword) Operation attribute

This OPTIONAL Operation attribute identifies which Job Template attributes the Printer MUST Honor in this Job Creation request. The Printer MUST reject this Job Creation operation, if the client supplies an unsupported Job Templateattribute or value in the request that is also identified in this list. The client MAY supply this attribute in a Job Creation operation. If the Printer supports the "job-mandatory-attributes" Operation attribute, the Printer MUST support this attribute in Job Creation operations and the Validate-Job operation.

The Printer MUST copy this attribute to the corresponding "job-mandatory-attributes" Job Description attribute (see section 6.3) for auditing and trouble shooting purposes<sup>11</sup>.

The values of the "job-mandatory-attributes" attribute are the keyword attribute names that identify Job Template attributes, for example, 'job-hold-until', 'job-finishings' (see section 5.1.4), 'copies' and 'media'. In order to identify a member attribute of a collection attribute, the keyword names of both the collection attribute and the member attribute are given separated by a period (.) character. For example, to make the "media" attribute of the "cover-front" collection attribute mandatory, supply the keyword value: 'cover-front.media'.

The Printer MUST accept any keyword values whether or not the corresponding Job Template attributes are supported by the Printer and MUST NOT return those unsupported keywords in the Unsupported Attributes Group in the response. If the client supplies this "job-mandatory-attributes" Operation attribute in a Job Creation operation with values that represent Job Template attributes that the Printer doesn't support, the Printer MUST otherwise accept the attribute anyway. The Printer MUST reject this Job Creation only if the client actually supplies any of the identified Job Template attributes that the Printer doesn't support. Because the Printer doesn't reject when the "job-mandatory-attributes" Operation attribute has the unsupported attribute keyword names, the client MAY supply all of

<sup>10</sup> The value of the "ipp-attribute-fidelity" Operation attribute has no effect on other *Operation* attributes supplied by the client, only on Job Template attributes supplied by the client.

<sup>11</sup> The Printer uses the "job-mandatory-attributes" Job Description attribute for validating subsequent Document Creation operations for this job when also supporting [ippdoc].

the attribute keyword names that the client supports without having to tailor the list to the particular Printer that the client is submitting the Job Creation operation, thereby, simplifying client use of this attribute.

### 4.1.3 output-device-requested (name(127))

This OPTIONAL Operation attribute specifies the name of the target output device for a Printer that fans-out to multiple devices (see [rfc2911] section 2.1). This allows the client to control which output device the Printer selects. If this attribute is omitted, the Printer selects whichever output device seems best for the job in an implementation dependent manner. The client can discover which output devices the Printer supports by querying the Printer's "output-device-requested-supported" Printer attribute (see section 8.12).

If the Printer supports this Operation attribute, the Printer MUST support it only on Job Creation operations, not subsequent Document Creation operations for this Job.

If the Printer supports this Operation attribute, the Printer MUST support the "output-device-assigned" Job Description attribute with the same values (see [rfc2911] section 4.3.13).

If a client supplies this "output-device-requested" Operation attribute with a value that the Printer doesn't support, the Printer MUST perform one of the following actions depending on implementation: (1) reject the request OR (2) accept the request and either (a) put the Job in the 'pending-held' state or (b) process the job ignoring the attribute. See section 4.2 below for more details.

## 4.2 Operation attributes for Document Creation operations

This section defines the semantics for the Operation attributes that a client MAY supply in a Document Creation operation (Print-Job, Print-URI, Send-Document and Send-URI). Note: Print-Job and Print-URI are both Job Creation and Document Creation operations. The following statements apply to all of these Operation attributes and are *not* repeated in each attribute Description:

If the Printer doesn't support the "xxx" Operation attribute, the Printer MUST ignore the "xxx" attribute (as with any OPTIONAL Operation attribute) and return the "xxx" attribute with the supplied value as unsupported in the Unsupported attributes group as specified in [rfc2911] section 3.1.7.

If the Printer supports the "xxx" Operation attribute, the Printer MUST also:

1. support the corresponding "xxx-default" and "xxx-supported" Printer Description attributes as well, if defined (see Table 5 and section 8) and vice versa.
2. validate the values supplied by the client in the "xxx" Operation attribute against the values indicated in the Printer's corresponding "xxx-supported" Printer Description attribute (see section 8). If the values do not validate, the Printer MUST perform one of the actions indicated for that Operation, unless specified otherwise, such as (1) reject the request, (2) accept the request and either (a) hold the job for operator intervention or (b) print the Job ignoring the attribute. In all of these cases, the Printer MUST return the Operation attribute with the unsupported value in the Unsupported Attributes group in the response (see [rfc2911] section 3.1.7).

### 4.2.1 document-charset (charset)

This CONDITIONALLY REQUIRED Operation attribute identifies the charset of the Document Content.

If a client supplies the "document-charset" Operation attribute in a Document Creation operation with a value that the Printer doesn't support, the Printer MUST reject the job and return the status code: 'client-error-charset-not-

411 supported' (see [rfc2911] section 3.1.4.14), since the interpretation of the content will be mis-understood by the  
 412 Printer..

413 The standard values for these attributes are Internet Media types (sometimes called MIME types). For further details  
 414 see the description of the 'mimeMediaType' attribute syntax in [rfc2911] section 4.1.9.

415 The Printer MUST support this attribute if it supports a document format for which the Document Content can be  
 416 ambiguous with respect to the charset being used to encode the data. For example, the 'application/vnd.hp-PCL'  
 417 MAY omit the charset escape sequence. Although [rfc2854] strongly RECOMMENDS that 'text/html', include a "  
 418 charset=charset" parameter in the MIME type itself (that is, explicitly in the value of the "document-format" attribute),  
 419 often the charset= parameter is not present in the MIME type and the Printer MUST assume a charset. Thus a  
 420 Printer that supports the text/html MIME type MUST support the "document-charset" operation attributes. Also many  
 421 text files use the various 8-bit ISO 8859 charsets in which the lower half is US-ASCII and the upper half is various  
 422 Latin sets (about 8 or 9), Greek, Cyrillic, Hebrew, and Arabic. Shift JIS is another example where the left half is US-  
 423 ASCII, but the right half can be one of a number of things. But if the data doesn't contain the charset escape  
 424 sequences, this attribute can help the Printer know what the charset is in the Document. Such document formats are  
 425 called "charset-ambiguous" document formats. Finally, even though [rfc2046] REQUIRES the "; charset=" MIME  
 426 type parameter if the file contains other than US-ASCII, in practice, the "; charset=" MIME type parameter is often  
 427 omitted, thus making 'text/plain' a charset-ambiguous document format. See the discussion in [rfc2911] section 4.1.9  
 428 and [rfc2046].

429 Printer MAY also check the Document content while processing to see that the document data meets the coding  
 430 requirements for the supplied charset. If the data contains something that is outside the charset encoding, the  
 431 Printer MUST either (1) hold the job or (2) abort, and SHOULD NOT continue printing square boxes for encoded  
 432 characters that are outside the charset supplied by the client.

433 Many other document formats, such as 'application/postscript' and 'application/pdf', are *not* charset-ambiguous, so  
 434 that Printers that support only such formats MAY omit support of the "charset" Operation/ Description attributes.

435 If the Printer supports the "document-charset" Operation attribute, it MUST also support the corresponding  
 436 "document-charset-default" and "document-charset-supported" Printer Description attributes as well and vice versa  
 437 (see sections 8.1 and 8.2).

#### 438 **4.2.2 document-digital-signature (type2 keyword)**

439 This OPTIONAL Operation attribute identifies the technology of digital signature in the Document content.

440 If a client supplies this "document-digital-signature" Operation attribute in a Document Creation operation with a  
 441 value that the Printer doesn't support, the Printer MUST perform one of the following actions depending on  
 442 implementation: (1) reject the request OR (2) accept the request, set the Job's "job-state-reasons" attribute to  
 443 'digital-signature-type-not-supported' (see section 7.1), and either (a) put the Job in the 'pending-held' state or (b)  
 444 process the job ignoring the attribute. See section 4.2 above for more details.

445 If the Printer supports this attribute and the value supplied by the client, the Printer MAY verify the signature  
 446 according to the rule for that signature format and "document-format". If the signature does not verify, then the  
 447 Printer MUST perform one of the following actions depending on implementation (which MAY depend on the  
 448 "document-format" and a site-established policy):

- 449 1. ignore the signature (and MAY indicate on the printed output some how) and MUST set the Job's "job-state-  
 450 reasons" Job Description attribute to the 'digital-signature-did-not-verify' value (see section 7.1).
- 451 2. put the job on hold and wait for human intervention and MUST set the Job's "job-state-reasons" Job  
 452 Description attribute to the 'job-digital-signature-wait' and 'digital-signature-did-not-verify' values (see section  
 453 7.1), OR



3. abort the job depending on implementation and/or site configuration and MUST set the Job's "job-state-reasons" Job Description attribute to the 'job-aborted-by-system' and 'digital-signature-did-not-verify' values (see section 7.1).

Different PDLs have different techniques of embedding the signature. If the Printer supports the "document-digital-signature" attribute and the supplied "document-format", the Printer MUST accept the document. However, if the Printer either doesn't support the value of the "document-digital-signature" Operation attribute or doesn't support the technique used by the supplied "document-format" attribute, the Printer MUST either (1) ignore the signature or (2) put the job on hold and wait for human intervention, depending on implementation. If the Printer doesn't support the supplied value, the Printer MUST return the "document-digital-signature" attribute with its value as unsupported in the Unsupported attributes group as specified in [rfc2911] section 3.1.7.

The following standard keyword values are defined:

'dss': Digital Signature Standard (DDS) [dss].

'none': There is not a digital signature in the Document content. If this attribute is supported, the 'none' value MUST be supported.

'pgp': PGP Message Exchange Formats [rfc1991].

'smime': Enhanced Security Services for S/MIME [rfc2634].

'xmldsig' XML Digital Signature [xmldsig].

#### 4.2.3 document-format (mimeMediaType)

This REQUIRED Operation attribute (see [rfc2911] section 3.2.1.1) indicates the document format of the supplied Document Content. If a client supplies the "document-format" Operation attribute with a value that the Printer doesn't support, the Printer MUST reject the job and return the status code: 'client-error-document-format-not-supported' (see [rfc2911] section 3.1.4.11), since the Printer cannot process the data.

The standard values for this attribute are Internet Media types (sometimes called MIME types). For some MIME types, such as 'text/plain' [rfc2046], the "charset=" parameter is defined which specifies the charset of the Document content. The Printer MUST support the charset MIME parameter as well as the "document-charset" Operation attribute (section 4.2.1) if the Printer supports any text MIME type, such as 'text/plain' or 'text/html'. For further details see the description of the 'mimeMediaType' attribute syntax in [rfc2911] section 4.1.9 and [rfc2046] and the "document-charset" Operation attribute (section 4.2.1).

Many printer languages in the Printer MIB do not have a MIME type registered with IANA.<sup>12</sup> It is the intent of the PWG to registers all of the Printer MIB v2 XXX Printer Languages as 'application/vnd.PWG-XXX'. If a Printer Language already has a registered MIME Media type or gets a registration in the future, then that MIME Type MUST be used in preference to the 'application/vnd.PWG-XXX' MIME Type. For example, PostScript® has the MIME Media type: 'application/postscript' and PCL has the MIME Media Type: 'application/vnd.HP-PCL', so those MIME Media types MUST be used instead of 'application/vnd.PWG-PS' and 'application/vnd.PWG-PCL'. For example, the NEC NPDL printer language from the Printer MIB does not have a MIME type registered with IANA. Therefore, the "document-format" = 'application/vnd.PWG-NPDL' MUST be used.

Note: It is proposed that CIP4 [cip4] register the YYY document formats with IANA as 'application/vnd.CIP4-YYY' that CIP4 is using that don't have a registered MIME Media type. For example, TIFF/IT [iso12639] would be registered as: 'application/vnd.CIP4-TIFF-IT'. Then CIP4 would keep a list of TIFF/IT versions. For example: 'TIFF/IT-CT/P1:1998' to use with the "document-format-version" attribute (and the CIP4 JDF equivalent MimeTypeVersion attribute).

<sup>12</sup> Companies are urged to register there Printer languages with IANA using the 'application/vnd.XX-yyy vendor tree. There has also been a long standing PWG proposal to register all of these as 'application/vnd.pwg-yyy'.

495 ACTION ITEM (Tom): Get CIP4 buy-in to use the same flat file (which will require an additional field for the  
 496 JDF FileType attribute. ACTION ITEM (Tom and Ira): Propose a format for the file.

497 See also the “document-format-version” Operation attribute in section 4.2.5 and the “document-format-details”  
 498 Operation attribute in section 4.2.4.

#### 499 4.2.4 document-format-details (1setOf collection)

500 This CONDITIONALLY REQUIRED Operation attribute supplied in Document Creation operations summarizes the  
 501 details of the Document content, including any files contained in the Document. See Table 7 for a list of the member  
 502 attributes along with the client and Printer conformance requirements.

503 If a Printer supports a *packaging* MIME type, such as ‘multipart/related’ or ‘application/zip’, the Printer MUST support  
 504 this “document-format-details” Operation attribute. If a Printer does not support a packaging MIME type, it MAY omit  
 505 support of the “document-format-details” Operation attribute and Description attribute. The purpose of the  
 506 “document-format-details” Operation attribute is to describe the details of the document format or formats in the  
 507 supplied Document, including the packaging format itself, so that the Printer knows what to expect.

508 If a client supplies the “document-format-details” Operation attribute in a Document Creation request with member  
 509 attributes and/or values that the Printer doesn’t support, the Printer MUST perform one of the following actions  
 510 depending on implementation: (1) reject the request OR (2) accept the request and either (a) put the Job in the  
 511 ‘pending-held’ state or (b) process the job ignoring the attribute. See section 4.2 above for more details. However, if  
 512 the “document-charset” or the “document-format” member attributes are the ones in question, the Printer MUST  
 513 reject the request, same as for the “document-charset” and “document-format” Operation attributes (see sections  
 514 4.2.1 and 4.2.3) and return the ‘client-error-charset-not-supported’ (see [rfc2911] section 13.1.4.16) or the ‘client-  
 515 error-document-format-not-supported’ (see [rfc2911] section 13.1.4.11), respectively.

516 For a packaging format, the “document-format-details” attribute does not provide means to associate each collection  
 517 value with particular document in the archive file, so it does not provide a “manifest”<sup>13</sup> of the packaging. One of the  
 518 packaging collection values MAY describe the packaging format itself, in which case that collection value MUST be  
 519 the first collection value. The remaining collection values provides the summary of the details of the contained files in  
 520 any order.

521 There MUST NOT be any duplicate collection values, that is, no collection values with all the same member attribute  
 522 values; it’s a set, not a sequence. So 100 PostScript files with the same details in a .zip file:

523 (1) MAY have one collection value with the “document-format” member attribute = ‘application/zip’ MIME type  
 524 value and MAY have additional member attributes that give details about the .zip file itself and

525 (2) MUST have one collection value containing a “document-format” member attribute =  
 526 ‘application/postscript’ and MAY have additional member attributes that give the details about the PostScript  
 527 files.

528 If a file in a packaging file is itself a packaging file, the single “document-format-details” (1setOf collection) Operation  
 529 attribute SHOULD contain the flattened distinct collection values for all files at all nested levels. Therefore, the  
 530 “document-format-details” collection attribute is not recursively defined and MUST NOT contain the “document-  
 531 format-details” attribute as a member attribute.

---

<sup>13</sup> If the client wants to achieve a “manifest”, that is a complete list of each file in a packaging, then the client needs to extract each file from the package and submit each one in a separate Document Creation operation. Note: the client can re-compress each file before sending, so the compression isn’t lost when sending each document separately.

Table 7 - "document-format-details" member Operation attributes

Member Attribute Name	Attribute Syntax	Client supplies	Printer Support	Member Attribute Section	Top Level Attribute Section
document-source-application-name	name(MAX)	MAY	MAY	4.2.4.1	N/A
document-source-application-version	text(127)	MAY	MAY	4.2.4.2	N/A
document-source-os-name	name(40)	MAY	MAY	4.2.4.3	N/A
document-source-os-version	text(40)	MAY	MAY	4.2.4.4	N/A
document-format	mimeMediaType	MUST	MUST	4.2.4.5	4.2.3
document-format-device-id	text(127)	MAY	MAY	4.2.4.6	N/A
document-format-version	text(127)	SHOULD	MUST	4.2.4.7	4.2.5
document-natural-language	1setOf naturalLanguage	MAY	MAY	4.2.4.8	4.2.6

The client can determine which member attributes of the "document-format-details" are supported by querying the Printer's "document-format-details-supported" (1setOf type2 keyword) Printer Description attribute (see section 8.6). The client can determine a supported set of document details by querying the Printer's "document-format-details-implemented" (1setOf collection) Printer Description attribute (see section 8.7).

Table 7 shows that three of the member attributes also have comparable top level Operation attributes defined with the same names. See the sections listed in the rightmost column. These three high level attributes have corresponding "xxx-default" and "xxx-supported" Printer Description attributes. These values are also for use with the corresponding three member attributes. The remaining member attributes do not have any corresponding "xxx-default" and "xxx-supported" Printer Description attribute. The client MAY query the Printer's "document-format-details-implemented" Printer Description attribute to determine what values the Printer has implemented. However, the Printer MAY accept other values, such as later or earlier versions.

If a client supplies this "document-format-details" Operation attribute with a member attribute with a value that the Printer doesn't support, the Printer MUST perform one of the following actions: (1) reject the request OR (2) accept the request and either (a) put the Job in the 'pending-held' state or (b) process the job ignoring the attribute. See section 4.2 above for more details.

#### 4.2.4.1 document-source-application-name (name(MAX))

This OPTIONAL member Operation attribute identifies the application that generated the document. The version number MUST NOT be included (see the "document-source-application-version" attribute). Examples: "Photoshop", "Microsoft Word".

#### 4.2.4.2 document-source-application-version (text(127))

This OPTIONAL member Operation attribute identifies the version number of the application that created the document. The intent of this attribute is for purposes of affecting the interpreting by the Printer for any formats for which the source application version might have different semantics. Examples:

"8.1 (4331)" for Winzip®, "5.0.5 10/26/2001" for Acrobat®, "2000 (9.0.4119 SR-1)" for Microsoft® Word

When populating the "document-source-application-version-implemented" member attribute of the "document-format-details-implemented" Printer Description attribute, some of the trailing information MAY be omitted, so that a substring match of the Printer's value with the value supplied by the client is sufficient for a match. For example, the Printer's value MAY be "8.1", "5.0", and "2000", respectively, as compared to the corresponding example values above that MAY be supplied by the client.

563 If the client omits this member attribute or supplies a zero length string, that matches with any version.  
 564 Similarly, the Printer's member attribute MAY be omitted or be a zero length string to indicate any.

#### 565 **4.2.4.3 document-source-os-name (name(40))**

566 This OPTIONAL member Operation attribute identifies the name of the operating system on which the  
 567 document was generated. Valid values are the operating system names defined in the IANA Operating  
 568 System name registry [os-names] with the version number portion removed (see the "document-source-os-  
 569 version" attribute). IANA Operating System Names are consist of up to 40 *uppercase* US-ASCII letters,  
 570 hyphen ("-"), period ((".")), and slash ("/") characters. The zero length string represents unknown<sup>14</sup>.

571 Example IANA OS Registry values: 'AIX', 'DOS', 'LINUX', 'MACOS', 'MSDOS', 'MVS', 'NETWARE', 'OS/2',  
 572 'SUN', 'SUN-OS', 'UNIX', 'VMS', 'WINDOWS'.

#### 573 **4.2.4.4 document-source-os-version (text(40))**

574 This OPTIONAL member Operation attribute identifies the version of the operating system on which the  
 575 document was generated. Valid values include the version portion of any of the operating system names  
 576 defined in the IANA Registry [os-names]. The value MUST NOT include the name portion of the registered  
 577 OS name (see "document-source-os-name" attribute). The zero length string represents unknown<sup>14</sup>.

578 Example values for the indicated "document-source-os-name" value are:

579 For 'AIX': '370', 'PS/2'

580 For 'LINUX': '1.0', '1.2', '2.0', '2.2', '2.4'

581 For 'MVS': 'SP'

582 For 'NETWARE': '3', '3.11', '4.0', '4.1', '5.0'

583 For 'SUN-OS': '3.5', '4.0'

584 For 'UNIX': 'BSD', 'V', 'V.1', 'V.2', 'V.3', 'PC'

585 For 'WINDOWS': '95', '98', 'CE', 'NT', 'NT-2', 'NT-3', 'NT-3.5', 'NT-3.51', 'NT-4', 'NT-5', '2000', 'XP'  
 586 [not registered yet]

#### 588 **4.2.4.5 document-format (mimeMediaType)**

589 This REQUIRED member Operation attribute identifies the document format (see [rfc2911] §3.2.1.1) of the  
 590 collection value of which it is a member. The client MUST supply and the Printer MUST support this member  
 591 attribute in each collection value. The values for this member attribute are Internet Media types (sometimes  
 592 called MIME types) and have the same values and semantics as for the top level "document-format"  
 593 Operation attribute with the same name (see section 4.2.3 for the semantics).

#### 594 **4.2.4.6 document-format-device-id (text(127))**

595 This OPTIONAL member Operation attribute identifies the type of device for which the document was  
 596 formatted, including manufacturer and model. This attribute is intended to identify document formats that are  
 597 not portable, e.g., PDLs that are device dependent. The value of this variable MUST exactly match the IEEE  
 598 1284-2000 Device ID string (see [IEEE1284] clause 6), except the length field MUST NOT be specified. See  
 599 the Microsoft Universal Plug and Play [upnp] section 2.2.6 DeviceId parameter for details and examples.

600 Here is an example showing only the required fields for a PostScript document:

601 MANUFACTURER:ACME Co.;COMMAND SET:PS;MODEL:LaserBeam 9;

---

<sup>14</sup> The IANA Registry of OS Names does have an "UNKNOWN" value. However, that value is not being used for the "document-creator-os-name" and "document-creator-os-version" attributes. Instead, a zero length string indicates unknown, so that clients don't have to make a special case check for the UNKNOWN token and localize UNKNOWN to the language of the user while the client is not localizing any other OS name or version values.

**4.2.4.7 document-format-version (text(127))**

This REQUIRED member Operation attribute identifies the level or version of the document format identified by the "document-format" member attribute. The client MAY supply and the Printer MUST support this member attribute if the Printer supports the "document-format-details" Operation attribute. The semantics and supported values of this "document-format-version" member attribute MUST be the same as for the top level "document-format-version" Operation attribute with the same name (see section 4.2.5 for the semantics).

**4.2.4.8 document-natural-language (naturalLanguage)**

This OPTIONAL member Operation attribute specifies the natural language(s) of the collection value of which it is a member. The values for this attribute are natural language codes (with optional country codes) and have the same values and semantics as for the top level "document-natural-language" (naturalLanguage) operation attribute with the same name (see section 4.2.6 for the semantics).

**4.2.5 document-format-version (text(127))**

This OPTIONAL Operation attribute identifies the level or version of the document format of the Document content identified by the "document-format" Operation attribute (section 4.2.3).

If the client supplies this "document-format-version" Operation attribute, the client MUST also supply the "document-format" Operation attribute (section 4.2.3), so that the Printer does not need to parse the "document-format-version" string in order to determine the document format and version.

If a client supplies this "document-format-version" Operation attribute with a value that the Printer doesn't support as indicated by the Printer's "document-format-version-supported" attribute (see section 8.9), the Printer MUST perform one of the following actions, depending on implementation: (1) reject the request OR (2) accept the request and either (a) put the Job in the 'pending-held' state or (b) process the job ignoring the attribute. See section 4.2 above for more details.

The defined values are taken from the Printer MIB [rfc1759] langTC values (after removing the "lang") used in the prtInterpreterLangFamily and the prtInterpreterLangLevel attributes (SNMP calls them "objects") separated by the "/" character. If there is no version, just the langTC prefix without the "/" is used. Note: the Printer MIB prtInterpreterLangVersion attribute is not used, since no standard values are given in the Printer MIB.

The short first field before the "/" character are unique, so that the version values are self-identifying so that all the versions for all document formats can be combined into a single list for the Printer's "document-format-version-supported" Printer attribute. The first field also tends to be the acronym for the document format and often is also the file name extension registered with IANA. The Printer MIB shows the first field in uppercase for readability. However, the Printer MUST perform case-insensitive matching of supplied values with supported values.

Example values:

'PS/3': For Postscript level 3 [rfc1759].  
 'PCL/5e': For PCL 5e [rfc1759].  
 'PDF/1.4': For PDF version 1.4 [pdf]  
 'PDF/X-1a:2001': For PDF/X-1a [iso15930]  
 'TIFF/IT-FP:1998': TIFF/IT [iso12639] - Full Page - baseline.  
 'TIFF/IT-CT:1998': TIFF/IT [iso12639] - Continuous Tone picture data - baseline  
 'TIFF/IT-FP/P1:1998': TIFF/IT [iso12639] - Full Page - profile 1  
 'TIFF/IT-CT/P1:1998': TIFF/IT [iso12639] - Continuous Tone picture data - profile 1  
 'Automatic': auto sense the format [rfc1759]. Is use in combination with the 'application/octet-stream' (see [rfc2911] section 4.1.9.1) value of the "document-format" attribute (section 4.2.3).

If a client supplies this "document-format-version" Operation attribute with a value that the Printer doesn't support as indicated by the Printer's "document-format-version-supported" attribute (see section 8.9), the Printer MUST perform one of the following actions, depending on implementation: (1) reject the request OR (2) accept the request and either (a) put the Job in the 'pending-held' state or (b) process the job ignoring the attribute. See section 4.2 above for more details.

The Printer produces the value indicated by its "document-format-version-default" Printer attribute only if the client does not supply the "document-format-version" Operation attribute and the "document-format" Operation attribute. If the client supplies the "document-format" Operation attribute, but not the "document-format-version" Operation attribute, the Printer applies an appropriate default version for the supplied document format.

ISSUE 01: Or should the "document-format-version-default" be a 1setOf since the version string is self-identifying with the PDL? Then the different defaults could be indicated for each document format?

4.2.6 document-natural-language (naturalLanguage)

This OPTIONAL Operation attribute specifies the natural language of the Document content (see [rfc2911] section 3.2.1.1 and section 4.1.8).

If the client supplies this "document-natural-language" Operation attribute with a value that the Printer doesn't support, the Printer MUST perform one of the following actions: (1) reject the request OR (2) accept the request and either (a) put the Job in the 'pending-held' state or (b) process the job ignoring the attribute. See section 4.2 above for more details.

The values MAY include region as well as the language according to [rfc2911] section 4.1.8. If the document contains more than one language, the value is the first or primary language of the document. The Printer MAY use this value to select fonts or other Globalization processing. As indicated in [rfc2911] section 4.1.8, example include:

- 'en': for English
- 'en-us': for US English
- 'fr': for French
- 'de': for German

5 Job Template attributes

Table 8 lists the new Job Template attributes defined in this specification. The Job Template attributes can be supplied in the Job Creation operations: Print-Job, Print-URI, and Create-Job operations.

Job Template attributes are OPTIONAL for a Printer to support and for a client to supply in a Job Creation request. If a Printer supports a Job Template attribute, then it MUST copy the supplied attribute to the Job object, respectively so that a client MAY query the attributes in subsequent Get-Job-Attributes/Get-Jobs operations

If a Job Template collection attribute is supported (see [rfc3382]), then there are conformance requirements for which member attributes MUST be supported and which member attributes a client MUST supply as indicated in the Conformance column for each collection member attribute in Table 8.

Table 8 - Job Template attributes

Job Template attribute name "xxx"	Attribute Syntax	Printer: Default Value attribute syntax "xxx-default"	Printer: Supported Values attribute syntax "xxx-supported"
job-copies	integer(1:MAX)	integer(1:MAX)	rangeOfInteger(1:MAX)

<b>Job Template attribute name "xxx"</b>	Attribute Syntax	Printer: Default Value attribute syntax "xxx-default"	Printer: Supported Values attribute syntax "xxx-supported"
<b>job-cover-back</b>	collection	collection	1setOf type2 keyword
<b>cover-type</b>	type2 keyword	-	1setOf type2 keyword
<b>media</b>	type3 keyword   name(MAX)	-	1setOf (type3 keyword   name(MAX))
<b>media-col</b>	collection	-	1setOf type2 keyword
<b>member attributes   [pwg5100.3]</b>	See [pgw5100.3]	-	-
<b>job-cover-front</b>	collection	collection	1setOf type2 keyword
<b>member attributes -   same as job-cover-back</b>	see job-cover-back		
<b>job-finishings</b>	1setOf type2 enum	1setOf type2 enum <sup>15</sup>	1setOf type2 enum
<b>job-finishings-col</b>	collection	collection <sup>15</sup>	1setOf type2 keyword
<b>finishing-template</b>	name(MAX)	-	1setOf name(MAX)
<b>stitching</b>	collection		1setOf type2 keyword
<b>stitching-reference-     edge</b>	type2 keyword	-	1setOf type2 keyword
<b>stitching-offset</b>	integer (0:MAX)	-	1setOf (integer(0:MAX)   rangeOfInteger(0:MAX))
<b>stitching-locations</b>	1setOf integer(0:MAX)	-	1setOf (integer(0:MAX)   rangeOfInteger(0:MAX))

## 5.1 Job Template attributes defined for use with multi-document jobs

This section defines additional Job Template attributes for use with multi-document Jobs. These Job Template attributes MUST be supplied in Job Creation operations only. They have the "job-" prefix to indicate this scope. This Job Template attribute MUST NOT be supplied in the "page-overrides" Job Template attribute [override]. Unless specified otherwise, each Job Template attribute has a corresponding "xxx-default" and "xxx-supported" Job Template Printer attribute. See Table 11 for the attribute syntax.

### 5.1.1 job-copies (integer(1:MAX))

This OPTIONAL Job Template attribute specifies the number of job copies, i.e., with all of the Documents taken together. Its interpretation is independent of the value of the "multiple-document-handling" Job Template attribute. See the "copies" Job Template attribute defined in [rfc2911] section 4.2.5 which switches between job copies and document copies depending on the value of the "multiple-document-handling" Job Template attribute ([rfc2911] section 4.2.4). The "job-copies" Job Template attribute is equivalent to "copies" with "multiple-document-handling" = 'single-document-new-sheet'.

#### 5.1.1.1 job-copies-default (integer(1:MAX))

This OPTIONAL Job Template Printer attribute specifies the default number of copies for the job as a whole. The Printer MUST support this attribute if it supports the "job-copies" Job Template attribute.

#### 5.1.1.2 job-copies-supported (rangeOfInteger(1:MAX))

This OPTIONAL Job Template Printer attribute specified the supported range of the number of copies for the job as a whole. The Printer MUST support this attribute if it supports the "job-copies" Job Template attribute.

<sup>15</sup> The "job-finishings" and "job-finishings-col" Job Template attributes also include corresponding "job-finishings-ready" (1setOf enum) and "job-finishings-col-ready" (1setOf collection).

### 701 **5.1.2 job-cover-back (collection)**

702 This OPTIONAL Job Template attribute specifies the cover for the back of the job, i.e., with all of the Documents  
703 taken together and is independent of the value of the "multiple-document-handling" Job Template attribute. The  
704 member attributes are the same as "cover-back" (see [pwg5100.3] section 3.1). However, the "cover-back" Job  
705 Template attribute switches between a job back cover and a document back cover depending on the value of the  
706 "multiple-document-handling" Job Template attribute ([rfc2911] section 4.2.4). The "job-cover-back" Job Template  
707 attribute is equivalent to "cover-back" with "multiple-document-handling" = 'single-document-new-sheet'.

#### 708 **5.1.2.1 job-cover-back-default (collection)**

709 This OPTIONAL Job Template Printer attribute specifies the default the cover for the back of the job. The Printer  
710 MUST support this attribute if it supports the "job-cover-back" Job Template attribute.

#### 711 **5.1.2.2 job-cover-back-supported (1setOf type2 keyword)**

712 This OPTIONAL Job Template Printer attribute specified the supported member attributes of the "job-cover-back"  
713 Job Template collection attributes. The Printer MUST support this attribute if it supports the "job-cover-back" Job  
714 Template attribute.

### 715 **5.1.3 job-cover-front (collection)**

716 This OPTIONAL Job Template attribute specifies the cover for the front of the job, i.e., with all of the Documents  
717 taken together and is independent of the value of the "multiple-document-handling" Job Template attribute. The  
718 member attributes are the same as the "cover-front" Job Template attribute (see [pwg5100.3] section 3.2). However,  
719 the "cover-front" Job Template attribute switches between a job front cover and a document front cover depending on  
720 the value of the "multiple-document-handling" Job Template attribute ([rfc2911] section 4.2.4). The "job-cover-front"  
721 Job Template attribute is equivalent to "cover-front" with "multiple-document-handling" = 'single-document-new-  
722 sheet'.

#### 723 **5.1.3.1 job-cover-front-default (collection)**

724 This OPTIONAL Job Template Printer attribute specifies the default the cover for the front of the job. The Printer  
725 MUST support this attribute if it supports the "job-cover-front" Job Template attribute.

#### 726 **5.1.3.2 job-cover-front-supported (1setOf type2 keyword)**

727 This OPTIONAL Job Template Printer attribute specified the supported member attributes of the "job-cover-front" Job  
728 Template attributes. The Printer MUST support this attribute if it supports the "job-cover-front" Job Template  
729 collection attribute.

### 730 **5.1.4 job-finishings (1setOf type2 enum)**

731 This OPTIONAL Job Template attribute specifies the job finishings, i.e., with all of the Documents taken together. Its  
732 interpretation is independent of the value of the "multiple-document-handling" Job Template attribute. See the  
733 "finishings" Job Template attribute defined in [rfc2911] section 4.2.6 which switches between job finishings and  
734 document finishings depending on the value of the "multiple-document-handling" Job Template attribute ([rfc2911]  
735 section 4.2.4). The "job-finishings" Job Template attribute is equivalent to "finishings" with "multiple-document-  
736 handling" = 'single-document-new-sheet'.

#### 737 **5.1.4.1 job-finishings-default (1setOf type2 enum)**

738 This OPTIONAL Job Template Printer attribute specifies the default job finishings. The Printer MUST support this  
739 attribute if it supports the "job-finishings" Job Template attribute.



**740 5.1.4.2 job-finishings-ready (1setOf type2 enum)**

741 This OPTIONAL Job Template Printer attribute specifies the ready job finishings, that is, the job finishings that maybe  
742 used without operation intervention. The Printer MUST support this attribute if it supports the "job-finishings" Job  
743 Template attribute.

**744 5.1.4.3 job-finishings-supported (1setOf type2 keyword)**

745 This OPTIONAL Job Template Printer attribute specified the supported job finishings values. The Printer MUST  
746 support this attribute if it supports the "job-finishings" Job Template attribute.

**747 5.1.5 job-finishings-col (1setOf collection)**

748 This OPTIONAL Job Template attribute specifies the job finishings collection, i.e., with all of the Documents taken  
749 together. Its interpretation is independent of the value of the "multiple-document-handling" Job Template attribute.  
750 See the "finishings-col" Job Template attribute defined in [pwg5100.3] section 3.2 which switches between job  
751 finishings collection and document finishings collection depending on the value of the "multiple-document-handling"  
752 Job Template attribute ([rfc2911] section 4.2.4). The "job-finishings-col" Job Template attribute is equivalent to  
753 "finishings-col" with "multiple-document-handling" = 'single-document-new-sheet'.

**754 5.1.5.1 job-finishings-col-default (collection)**

755 This OPTIONAL Job Template Printer attribute specifies the default job finishings collection. The Printer MUST  
756 support this attribute if it supports the "job-finishings-col" Job Template attribute.

**757 5.1.5.2 job-finishings-col-ready (collection)**

758 This OPTIONAL Job Template Printer attribute specifies the ready job finishings collection, that is, the job finishings  
759 collection that maybe used without operation intervention. The Printer MUST support this attribute if it supports the  
760 "job-finishings-col" Job Template attribute.

**761 5.1.5.3 job-finishings-col-supported (1setOf type2 keyword)**

762 This OPTIONAL Job Template Printer attribute specified the supported member attributes of the "job-finishings-col"  
763 Job Template collection attribute. The Printer MUST support this attribute if it supports the "job-finishings-col" Job  
764 Template attribute.

**765 6 Job Description attributes**

766 Table 9 lists the new Job Description defined in this IPP specification. Job Description attributes are Job object  
767 attributes that are filled in by the Printer. Some Job Description attribute values are supplied by the client in the Job  
768 operation using corresponding Operation attributes as indicated with "⇒y". The Printer MUST NOT support  
769 modification of any of these Job Description attributes using the Set-Job-Attributes operation ([rfc3380]).

<b>Legend:</b>	
<b>IPP attribute syntax</b>	the attribute syntax (see [rfc2911] section 4.1).
<b>Set by</b>	indicates whether the value is set by the client or Printer in the Job Creation operation: <b>client</b> - means that the Printer <b>MUST</b> populate this Job Description attribute by copying <i>from</i> the corresponding Operation attribute that the client <b>MAY</b> supply in the Job Creation operation. See Table 6 for the corresponding Operation attribute. <b>Printer</b> - means that the Printer sets the value based on the state of the Printer.
<b>Printer conformance</b>	indicates <b>MUST</b> or <b>MAY</b> for Printer conformance.
<b>Reference</b>	references to the sub-section in this document if there is significant information there. Those subsections that are only references to other specifications contain only that reference in the Reference column.

Table 9 - Job Description attributes

Job Description attribute name	IPP Attribute Syntax	Set by	Printer conformance	Reference
ipp-attribute-fidelity	boolean	client	MAY	[this spec] §6.1
job-errors-count	integer(0:MAX)	Printer	MAY	[this spec] §6.2
job-mandatory-attributes	1setOf type2 keyword	client	MAY	[this spec] §6.3
job-warnings-count	integer(0:MAX)	Printer	MAY	[this spec] §6.4
output-device-requested	name(127)	client	MAY	[this spec] §6.5
output-device-assigned	name(127)	Printer	MAY	[rfc2911] §4.3.7.2

Most of the existing “job-state” and “job-state-reasons” Job Description attribute values apply equally well to individual documents in a multi-document job (with removal of the ‘job-’ prefix for those that apply to both Job and Document). Furthermore, the job states are completely service-type neutral, so they can apply to scanning, faxing, formatting processes as well. The job state reasons have a number of reasons that are print service specific, but most can apply to other types of service as well. The reason for separating state from reasons, is so that the states can be the fundamental states that most implementations have, while the state reasons can vary depending on the sophistication of the system. The states are the ones that clients are most likely to base actions upon, and the state reasons are more information, both for programs and people.

### 6.1 ipp-attribute-fidelity (boolean)

This OPTIONAL Job Description attribute indicates the value of the corresponding “ipp-attribute-fidelity” Operation attribute ([rfc2911] section 3.2.1.1)<sup>16</sup> that the client supplied in the Job Creation operation. This Job Description attribute has no effect on the processing of the job once the Job Creation operation has been accepted<sup>17</sup>. However, this attribute does provide an audit capability to the user and service desk for comparing unexpected printed results with what was submitted.

### 6.2 job-errors-count (integer(0:MAX))

This OPTIONAL Job Description attribute counts the number of errors encountered processing the job as a whole. An error where some portion of the printed output is not present, such as a glyph encountered which isn't in the Printer's font or an image in a page was in a format that the Printer didn't support, though the Printer did support the overall document format.

<sup>16</sup> The “ipp-attribute-fidelity” attribute is defined only as an Operation attribute in [rfc2911]. This specification is defining it as a Job Description attribute as well which the Printer MAY support.  
<sup>17</sup> The “ipp-attribute-fidelity” and “job-mandatory-attributes” Operation attributes do have effect after the Job Creation operation when the Document Object is supported [ippdoc].

### 6.3 job-mandatory-attributes (1setOf type2 keyword)

This OPTIONAL Job Description attribute indicates which Job Template attributes that the client required that the Printer Honor in order to accept the Job Creationrequest. The Printer populates this attribute with the value of the corresponding "job-mandatory-attributes" Operation attribute (see section 4.1.2) supplied by the client in the Job Creation operation. This Job Description attribute has no effect on the processing of the job once the Job Creation operation has been accepted<sup>17</sup>. However, this Job Description attribute does provide an audit capability of the Job object in the Job History (see [rfc2911] section 4.3.7.2) to the user and service desk for comparing unexpected printed results with what was submitted. See section 4.1.2 for additional details of the semantics of this "job-mandatory-attributes" Operation attribute that are not repeated here.

### 6.4 job-warnings-count (integer(0:MAX))

This OPTIONAL Job Description attribute counts the number of warnings encountered processing the job as a whole. A warning is where no information is lost, but the appearance of the printed output MAY not be as expected.

### 6.5 output-device-requested (name(127))

This OPTIONAL Job Description attribute indicates the name of the output device that the client has supplied in the "output-device-requested" Operation attribute (see section 4.1.3), if any, in the Job Creation operation. The Printer sets the Job's "output-device-assigned" Job Description attribute (see [rfc2911] section ) to the name of the actual device assigned.

## 7 New values to existing attributes

This section defines new values to existing attributes.

### 7.1 New job-state-reasons(1setOf type2 keyword) Values

The REQUIRED "job-state-reasons" Job Description attributes ([rfc2911] section 4.3.8) provide additional information about the job's current state, i.e., information that augments the value of the job's "job-state" attribute.

These new values MAY be used with any job state for which the reason makes sense. When implemented, the Printer MUST return these values when the reason applies and MUST NOT return them when the reason no longer applies whether the value of the Job's "job-state" attribute changed or not. When the Job does not have any reasons for being in its current state, the value of the Job's "job-state-reasons" attribute MUST be 'none'.

Note: While values cannot be added to the "job-state" attributes without impacting deployed clients that take actions upon receiving "job-state" values, it is the intent that additional "job-state-reasons" values can be defined and registered without impacting such deployed clients. In other words, the "job-state-reasons" attribute are intended to be extensible.

Table 10 lists the new keyword values for the "job-state-reasons" attribute defined in this specification as indicated in the References column. In Table 10 the keywords are listed in alphabetic order, while in their descriptions following Table 10, they are listed in the most likely order of occurrence to help understanding.

Table 10 - New "job-state-reasons" attribute values

IPP Job Description attribute name	IPP Attribute Syntax plus Values	Printer conformance	Reference
job-state-reasons	1setOf type2 keyword	MUST	[rfc2911] §4.3.8
	digital-signature-did-not-verify	MAY	[this spec] §7.1
	digital-signature-type-not-supported	MAY	[this spec] §7.1
	job-digital-signature-wait	MAY	[this spec] §7.1

For ease of understanding, the following value descriptions are presented in the order in which the reasons are likely to occur (if implemented):

- 'digital-signature-type-not-supported': The Job contains a digital signature type that is not supported. Implementation or site policy determines the state of the Job once this condition is detected.
- 'job-digital-signature-wait': The Job is currently being held because the Job was submitted with a "document-digital-signature" attribute value that is not supported. The operator MAY either cancel the job or release it to be processed.
- 'digital-signature-did-not-verify': The Job contains a digital signature type that is supported (see section 4.2.2), but the signature did not verify when the Printer attempted to verify the signature.

## 8 New Printer Description attributes

This section lists the new Printer Description attributes defined in this document. These Printer attributes describe the Printer, such as "printer-name" and "printer-location". Some of them are "xxx-supported" and "xxx-default" for Operation attributes that the client can supply in a Job Creation request.

The column labels are:

Column Heading	
"Attribute Syntax"	the attribute syntax (see [rfc2911] section 4.1). Many "xxx-default" and "xxx-supported" attributes have the 'collection' syntax which consists of a number of member attributes. These member attributes are not listed in this table when they are the same as the corresponding "xxx" attribute in Table 8. Only those few Printer attribute collection attributes that do not have a corresponding Job Template attributes show the member attributes in this table.
"Printer Conf."	the IPP/1.1 Printer conformance requirements for supporting the attribute. Those attributes labeled as "MAY" may have conditional requirements that require their support, if the Printer supports the corresponding Operation attribute. If a Printer supports the "xxx" Operation attribute, then it MUST also support the corresponding "xxx-default" and "xxx-supported" Printer attributes.
"Reference"	the section which defines the semantics of the attribute.

Table 11 - New Printer Description attributes

Printer Description attribute name	Attribute Syntax	Printer Conf.	Reference
<b>document-charset-default</b>	charset	CMUST <sup>18</sup>	[this-spec] §8.1
<b>document-charset-supported</b>	1setOf charset	CMUST <sup>18</sup>	[this-spec] §8.2
<b>document-digital-signature-default</b>	type2 keyword	MAY	[this-spec] §8.3
<b>document-digital-signature-supported</b>	1setOf type2 keyword	MAY	[this-spec] §8.4
<b>document-format-details-default</b>	collection	CMUST <sup>19</sup>	[this-spec] §8.5
<b>document-format-details-supported</b>	1setOf type2 keyword	CMUST <sup>19</sup>	[this-spec] §8.6
<b>document-format-details-implemented</b>	1setOf collection	CMUST <sup>19</sup>	[this-spec] §8.7
<b>document-format-version-default</b>	text(127)	MAY	[this-spec] §8.8
<b>document-format-version-supported</b>	1setOf text(127)	MAY	[this-spec] §8.9
<b>document-natural-language-default</b>	naturalLanguage	MAY	[this-spec] §8.10
<b>document-natural-language-supported</b>	1setOf naturalLanguage	MAY	[this-spec] §8.11
<b>output-device-requested-supported</b>	1setOf name(127)	MAY	[this spec] §8.12

The remainder of this section defines the Printer Description attributes that are not defined in other specifications. Most of these are “xxx-default” and “xxx-supported” Printer Description attributes. A Printer MUST support these Printer Description attributes, if it supports the corresponding Operation attributes, in order to indicate the default and supported values that the Printer supports.

## 8.1 document-charset-default (charset)

This CONDITIONALLY REQUIRED Printer Description attribute indicates the default charset that the Printer will assume for charset-ambiguous document formats when the client omits the “document-charset” Operation attribute (section 4.2.1). The Printer MUST support this attribute if it supports any charset-ambiguous document formats (see section 4.2.1)

## 8.2 document-charset-supported (1setOf charset)

This CONDITIONALLY REQUIRED Printer Description attribute indicates the charsets that the Printer supports in Document Content, that is, supports as values of the “document-charset” Operation attribute (section 4.2.1). The Printer MUST support this attribute if it supports any charset-ambiguous document formats (see section 4.2.1).

## 8.3 document-digital-signature-default (type2 keyword)

This OPTIONAL Printer Description attribute indicates the default digital signature, if any, that the Printer will assume when the client omits the “document-digital-signature” Operation attribute (section 4.2.2). The Printer MUST support this attribute if it supports the “document-digital-signature” Operation attribute.

## 8.4 document-digital-signature-supported (1setOf type2 keyword)

This OPTIONAL Printer Description attribute indicates the digital signature technologies that the Printer supports in Document Contents, that is, supports as values of the “document-digital-signature” Operation attribute (section 4.2.2). The Printer MUST support this attribute if it supports the “document-digital-signature” Operation attribute.

<sup>18</sup> The Printer MUST support the “document-charset-default” and “document-charset-supported” Printer Description attributes, if the Printer supports a charset-ambiguous document format (see section 4.2.1).

<sup>19</sup> The Printer MUST support the “document-format-details-default”, “document-format-details-supported”, and “document-format-details-implemented” Printer attributes if the Printer supports a packaging document format, such as application/zip or multipart/related.

866 **8.5 document-format-details-default (collection)**

867 This CONDITIONALLY REQUIRED Printer Description attribute indicates the default document format details that  
868 the Printer will assume when the client omits the “document-format-details” Operation attribute (section §4.2.4). The  
869 Printer MUST support this attribute if it supports the “document-format-details” Operation attribute.

870 **8.6 document-format-details-supported (1setOf type2 keyword)**

871 This CONDITIONALLY REQUIRED Printer Description attribute lists the type2 keyword names of the member  
872 attributes of “document-format-details” that the Printer supports. If the Printer supports the “document-format-details”  
873 (1setOf collection) Operation attribute, the Printer MUST support this “document-format-details” (1setOf type2  
874 keyword) Printer Description attribute. Table 12 lists the type2 keywords defined for use in the “document-format-  
875 details-supported” Printer attribute.

876 **Table 12 - Keyword values of "document-format-details-supported" Printer attribute**

Type2 keyword values	Printer conformance
document-source-application-name	MAY
document-source-application-version	MAY
document-source-os-name	MAY
document-source-os-version	MAY
document-format	MUST
document-format-device-id	MAY
document-format-version	MUST
document-natural-language	MAY

878 **8.7 document-format-details-implemented (1setOf collection)**

879 This CONDITIONALLY REQUIRED<sup>20</sup> Printer Description attribute lists the combinations of the values of the member  
880 attributes of “document-format-details” that the Printer has implemented. If the Printer supports the “document-  
881 format-details” Operation attribute, the Printer MUST support this “document-format-details-implemented” Printer  
882 Description attribute with the same member attributes that it supports for the “document-format-details” Operation  
883 attribute (section 4.2.4) as indicated in the Printer’s “document-format-details-supported” Printer Description attribute  
884 (section 8.6). Each “xxx-implemented” member attribute is multi-valued with the same attribute syntax as the  
885 corresponding “document-format-details” attribute.

886 **ISSUE 02: Bob's issue about truth in advertising. Don't penalize truth. Does allowing these Operation attribute**  
887 **keyword names in the “user-defined-attributes-supported” Printer attribute allow the Printer to accept any values**  
888 **without returning the attribute in the Unsupported Attributes group?**

889 **Table 13 - Member attributes of the "document-format-details-implemented" Printer attribute**

“document-format-details-implemented” member attributes	Reference
document-source-application-name-implemented (1setOf name(MAX))	4.2.4.1
document-source-application-version-implemented (1setOf text(127))	4.2.4.2
document-source-os-name-implemented (1setOf name(40))	4.2.4.3

<sup>20</sup> The Printer MUST support the “document-format-details-implemented” Printer Description attribute if the Printer supports a packaging document format, such as application/zip or multipart/related MIME types.

document-source-os-version-implemented (1setOf text(40))	4.2.4.4
document-format-implemented (1setOf mimeType)	4.2.4.5
document-format-device-id-implemented (1setOf text(127))	4.2.4.6
document-format-version-implemented (1setOf text(127))	4.2.4.7
document-natural-language-implemented (1setOf naturalLanguage)	4.2.4.8

Typically, there will only be one value for each “document-format-implemented” member attribute in each collection value. However, there MAY be more than one occurrence of a collection value with the same “document-format-implemented” member attribute value. See the following example which has two PostScript collection values.

Example: Suppose that a Printer implements a PostScript™c Level 3 interpreter which also interprets Level 1 and Level 2 documents and a PCL interpreter that interprets ‘5’ and ‘5e’ variants. Suppose that the Printer only has fonts for French and German for PostScript™ level 3. The value of “document-format-details-implemented” would have the following three collection values:

```
{["document-format-implemented" = 'application/postscript', "document-format-version-implemented" = 'PS/1', 'PS/2', 'PS/3'],
 {"document-format-implemented" = 'application/postscript', "document-format-version-implemented" = 'PS/3',
  document-natural-language=en, fr, de},
 {"document-format-implemented" = 'application/vnd.hp-PCL', "document-format-version-implemented" = 'PCL/5', 'PCL/5e'}}
```

## 8.8 document-format-version-default (text(127))

This OPTIONAL Printer Description attribute indicates the default document format version that the Printer will assume when the client omits the “document-format-version” Operation attribute (section 4.2.5). The Printer MUST support this attribute if it supports the “document-format-version” Operation attribute.

## 8.9 document-format-version-supported (1setOf text(127))

This OPTIONAL Printer Description attribute indicates the document format versions that the Printer supports for Document Contents, that is, supports as values of the “document-format-version” Operation attribute (section 4.2.5). The Printer MUST support this attribute if it supports the “document-format-version” Operation attribute.

## 8.10 document-natural-language-default (naturalLanguage)

This OPTIONAL Printer Description attribute indicates the default document natural language that the Printer will assume for Document Content when the client omits the “document-natural-language” Operation attribute ([rfc2911] section 3.2.1.1). The Printer MUST support this attribute if it supports the “document-natural-language” Operation attribute.

## 8.11 document-natural-language-supported (1setOf naturalLanguage)

This OPTIONAL Printer Description attribute lists the natural languages supported in any of the supported document formats, that is, it is the union of the natural languages. The Printer MUST support this attribute if it supports the “document-natural-language” Operation attribute ([rfc2911] section 3.2.1.1). See the “document-format-details-implemented” (1setOf collection) Printer Description attribute (section 8.7) for how the Printer MAY expose the list of natural languages supported by particular document formats.

8.12 output-device-requested-supported (1setOf name(127))

This OPTIONAL Printer Description attributes lists the names of output devices that the Printer supports. The Printer MUST support this attribute if it supports the "output-device-requested" Operation attribute (see section 4.1.3).

9 New Values for Existing Printer Description Attributes

This section contains those attributes for which additional values are added.

9.1 operations-supported (1setOf type2 enum)

The following "operation-id" values are added in order to support the new operations defined in this document:

Table 14 - Operation-id assignments

Value	Operation Name	Reference
0x000F	Close-Job	[this-spec] §3.1

10 Conformance Requirements

This specification contains a number of independent OPTIONAL operations and attributes. This section summarizes the conformance requirements for Printers and clients.

10.1 Printer conformance requirements

In order to claim conformance to this specification, a Vendor MUST explicitly identify the operations and/or attributes supported by the Printer implementation in any such claim of conformance. In addition, the Vendor's Printer implementation:

1. MUST meet the conformance requirements for Printers specified in [rfc2911].
2. MAY support the Close-Job operation according to section 3.1 and the corresponding enum value of the "operations-supported" Printer Description attribute according to section 9.1.
3. MAY support any Operation attribute according to section 4 and the corresponding Job Description attributes in section 6 and corresponding Printer attributes in section 8.
4. MAY support any Job Template attribute according to section 5.
5. MAY support any of the "job-state-reasons" values according to section 7.

10.2 Client conformance requirements

In order to claim conformance to this specification, a Vendor MUST explicitly identify the operations and/or attributes supported by the client implementation in any such claim of conformance. In addition, the Vendor's client:

1. MUST meet the conformance requirements for clients specified in [rfc2911]



948 2. MAY support the Close-Job operation according to section 3.1.

949 3. MAY support any Operation attribute according to section 4 and the corresponding Job Description attributes  
950 in section 6 and corresponding Printer attributes in section 8.

951 4. MAY support any Job Template attribute according to section 5.

## 952 11 Normative References

953 [dss]

954 U.S. Department of Commerce, "Digital Signature Standard (DDS)", Federal Information Processing  
955 Standards Publication 186-1 (FIPS PUB 186-1), December 15, 1998.

956 [iso12639]

957 ISO 12639:1998 Graphic technology -- Prepress digital data exchange -- Tag image file format for image  
958 technology (TIFF/IT), 1998.

959 [iso15930]

960 ISO 15930-1:2001 Graphic technology -- Prepress digital data exchange -- Use of PDF -- Part 1: Complete  
961 exchange using CMYK data (PDF/X-1 and PDF/X-1a), 2001.

962 [pdf]

963 "Adobe Portable Document Format", Version 1.4, PDF Reference, Third Edition, Adobe Systems  
964 Incorporated, <http://www.adobe.com>, December 2001.

965 [pwg5100.4]

966 Herriot, R., Ocke, K., "Internet Printing Protocol (IPP): Override Attributes for Documents and Pages", IEEE-  
967 ISTO 5100.4-2001, February 7, 2001, <ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.4.pdf>. - being replaced  
968 by a new Page Overrides specification which removes the "document-overrides" Job Template attribute and  
969 Operation attribute in favor of using the Document Object [ippdoc].

970 [pwg5100.3]

971 Ocke, K., Hastings, T., "Internet Printing Protocol (IPP): Production Printing Attributes - Set1", IEEE-ISTO  
972 5100.3-2001, February 12, 2001, <ftp://ftp.pwg.org/pub/pwg/standards/pwg5100.3.pdf>.

973 [rfc1991]

974 D. Atkins, W. Stallings, P. Zimmermann, "PGP Message Exchange Formats", RFC 1991, August, 1996.

975 [rfc2046]

976 Freed, N., and N. Borenstein, "Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types", RFC  
977 2046, November 1996.

978 [rfc2634]

979 P. Hoffman, "Enhanced Security Services for S/MIME", RFC 2634, June 1999.

980 [rfc2854]

981 Connolly, D., and L. Masinter, "The 'text/html' Media Type", RFC 2854, June 2000.

- 982 [rfc2911]  
 983 R. deBry, T. Hastings, R. Herriot, S. Isaacson, P. Powell, "Internet Printing Protocol/1.1: Model and  
 984 Semantics", RFC 2911, September 2000.
- 985 [rfc3380]  
 986 Hastings, T., Herriot, R., Kugler, C., and H. Lewis, "Internet Printing Protocol (IPP): Job and Printer Set  
 987 Operations", RFC 3380, September 2002.
- 988 [rfc3382]  
 989 deBry, R., Hastings, T., Herriot, R., Ocke, K., and P. Zehler, "Internet Printing Protocol (IPP): The 'collection'  
 990 attribute syntax", RFC 3382, September 2002.
- 991 [upnp]  
 992 Microsoft, "Basic *PrintBasic:1.0* Service Template Version 1.01 For Universal Plug and Play Version 1.0"
- 993 [xmldsig]  
 994 D. Eastlake, J. Reagle, D. Solo "XML-Signature Syntax and Processing", <draft-ietf-xmldsig-core-11.txt>,  
 995 October 31, 2000.

## 996 12 Informative References

- 997 [ippdoc]  
 998 Hastings, T., and P. Zehler, "Internet Printing Protocol (IPP): Document Object", October 14, 2002,  
 999 [ftp://ftp.pwg.org/pub/pwg/ipp/new\\_DOC/wd-ippdoc20030516.doc](ftp://ftp.pwg.org/pub/pwg/ipp/new_DOC/wd-ippdoc20030516.doc), .pdf, .rtf <work in progress>
- 1000 [fsg-jt]  
 1001 Free Software Group, Open Printing Job Ticket API, Visit: <http://www.freestandards.org/openprinting/>
- 1002 [ippact]  
 1003 Carney, D., and H. Lewis, "Internet Printing Protocol (IPP), "-actual" attributes extension", work in progress,  
 1004 January 31, 2003, [ftp://ftp.pwg.org/pub/pwg/ipp/new\\_ACT/pwg-ipp-actual-attrs-v04-030131.pdf](ftp://ftp.pwg.org/pub/pwg/ipp/new_ACT/pwg-ipp-actual-attrs-v04-030131.pdf)
- 1005 [ippfax]  
 1006 Moore, P., Songer, G., Hastings, T., McDonald, Pulera, and M. Joel, "IPP FAX Protocol", July 26, 2001,  
 1007 <ftp://ftp.pwg.org/pub/pwg/QUALDOCS/pwg-iff-ippfax-P16-030423.pdf>.
- 1008 [pwg-psi]  
 1009 "Print Service Interface (PSI)", work in progress to become a PWG IEEE-ISTO standard. Visit  
 1010 <http://www.pwg.org/>.
- 1011 [pwg-sm]  
 1012 Zehler, P., and S. Albright, "PWG Semantic Model", work in progress to become a PWG IEEE-ISTO standard,  
 1013 version 0.11, September 27, 2002. <ftp://ftp.pwg.org/pub/pwg/Semantic-Model/PWG-Semantic-Model.pdf>
- 1014 [rfc2565]  
 1015 Herriot, R., Butler, S., Moore, P., and R. Turner, "Internet Printing Protocol/1.0: Encoding and Transport",  
 1016 RFC 2565, April 1999.

1017 [rfc2566]  
1018 R. deBry, T. Hastings, R. Herriot, S. Isaacson, and P. Powell, "Internet Printing Protocol/1.0: Model and  
1019 Semantics", RFC 2566, April 1999.

1020 [rfc2567]  
1021 Wright, D., "Design Goals for an Internet Printing Protocol", RFC 2567, April 1999.

1022 [rfc2568]  
1023 Zilles, S., "Rationale for the Structure and Model and Protocol for the Internet Printing Protocol", RFC 2568,  
1024 April 1999.

1025 [rfc2569]  
1026 Herriot, R., Hastings, T., Jacobs, N., Martin, J., "Mapping between LPD and IPP Protocols", RFC 2569, April  
1027 1999.

1028 [rfc3196]  
1029 Hastings, T., Manros, C., Zehler, P., Kugler, C., and H. Holst, "Internet Printing Protocol/1.1: Implementer's  
1030 Guide", RFC 3196, November 2001.

1031 [rfc3239]  
1032 Kugler, C., Lewis, H. and T. Hastings, "Internet Printing Protocol (IPP): Requirements for Job, Printer, and  
1033 Device Administrative Operations", RFC 3239, February 2002.

1034 **13 IANA Considerations**

1035 This section contains the registration information for IANA to add to the various IPP Registries according to the  
1036 procedures defined in RFC 2911 [rfc2911] section 6 to cover the definitions in this document. The resulting  
1037 registrations will be published in the <http://www.iana.org/assignments/ipp-registrations> registry.

1038 *Note to the PWG Editor: Replace the References below to [this spec] with the IEEE-ISTO standard number*  
1039 *for the appropriate document, so that it accurately reflects the content of the information for the IANA Registry.*

1040 **13.1 Attribute Registrations**

1041 The following table lists all the attributes defined in this specification. These are to be registered according to the  
1042 procedures in RFC 2911 [rfc2911] section 6.2. If the attribute has a separate sub-section definition in this  
1043 specification, that sub-section is listed as the Reference. This table contains the reference to another specification  
1044 that completely defines each attribute.

Attribute Name (attribute syntax)	Reference	Section
-----	-----	-----
Job Description attributes:		
job-attribute-fidelity (boolean)	[this spec]	6.1
job-errors-count (integer(0:MAX))	[this spec]	6.2
job-mandatory-attributes (1setOf type2 keyword)	[this spec]	6.3
job-warnings-count (integer(0:MAX))	[this spec]	6.4

1055	output-device-requested(name(127))	[this spec]	6.5
1056			
1057	Job Template attributes:		
1058	job-copies (integer(1:MAX))	[this spec]	5.1.1
1059	job-copies-default (integer(1:MAX))	[this spec]	5.1.1.1
1060	job-copies-supported (rangeOfInteger(1:MAX))	[this spec]	5.1.1.2
1061	job-cover-back (collection)	[this spec]	5.1.2
1062	<member attributes are the same as "cover-back">		
1063	job-cover-back-default (collection)	[this spec]	5.1.2.1
1064	job-cover-back-supported (1setOf type2 keyword)	[this spec]	5.1.2.2
1065	job-cover-front (collection)	[this spec]	5.1.3
1066	job-cover-front-default (collection)	[this spec]	5.1.3.1
1067	job-cover-front-supported (1setOf type2 keyword)	[this spec]	5.1.3.2
1068	<member attributes are the same as "cover-front">		
1069	job-finishings (1setOf type2 enum)	[this spec]	5.1.4
1070	job-finishings-default (1setOf type2 enum)	[this spec]	5.1.4.1
1071	job-finishings-ready (1setOf type2 enum)	[this spec]	5.1.4.2
1072	job-finishings-supported (1setOf type2 keyword)	[this spec]	5.1.4.3
1073	job-finishings-col (1setOf collection)	[this spec]	5.1.5
1074	<member attributes are the same as "finishings-col">		
1075	job-finishings-col-default (1setOf type2 enum)	[this spec]	0
1076	job-finishings-col-ready (1setOf type2 enum)	[this spec]	5.1.5.2
1077	job-finishings-col-supported (1setOf type2 keyword)		
1078		[this spec]	5.1.5.3
1079			
1080			
1081	Printer Description attributes:		
1082	document-charset-default (charset)	[this spec]	8.1
1083	document-charset-supported (1setOf charset)	[this spec]	8.2
1084	document-digital-signature-default (type2 keyword)	[this spec]	8.3
1085	document-digital-signature-supported (1setOf type2 keyword)		
1086		[this spec]	8.4
1087	document-format-details-default (collection)	[this spec]	8.5
1088	document-format-details-supported (1setOf type2 keyword)		
1089		[this spec]	8.6
1090	document-format-details-implemented (1setOf collection)		
1091		[this spec]	8.7
1092	document-format-version-default (text(127))	[this spec]	8.8
1093	document-format-version-supported (1setOf text(127))	[this spec]	8.9
1094	document-natural-language-default (naturalLanguage)	[this spec]	8.10
1095	document-natural-language-supported (1setOf naturalLanguage)		
1096		[this spec]	8.11
1097	output-device-requested-supported (1setOf name(127))	[this spec]	8.12
1098			
1099			
1100	Operation attributes:		

1101	document-charset (charset)	[this spec]	4.2.1
1102	document-digital-signature (type2 keyword)	[this spec]	4.2.2
1103	document-format-details (1setOf collection)	[this spec]	4.2.4
1104	document-source-application-name (name(MAX))	[this spec]	4.2.4.1
1105	document-source-application-version (text(127))		
1106		[this spec]	4.2.4.2
1107	document-source-os-name (name(40))	[this spec]	4.2.4.3
1108	document-source-os-version (text(40))	[this spec]	4.2.4.4
1109	document-format (mimeMediaType)	[this spec]	4.2.4.5
1110	document-format-device-id (text(127))	[this spec]	4.2.4.6
1111	document-format-version (text(127))	[this spec]	4.2.4.7
1112	document-natural-language (1setOf naturalLanguage)		
1113		[this spec]	4.2.4.8
1114	document-format-version (text(127))	[this spec]	4.2.5
1115	document-natural-language (naturalLanguage)	[this spec]	4.2.6
1116	job-mandatory-attributes (1setOf type2 keyword)	[this spec]	4.1.2
1117	output-device-requested (name(127))	[this spec]	4.1.3

1118 **13.2 Keyword attribute values**

1119	job-state-reasons (1setOf type2 keyword)	[rfc2911]	4.3.8
1120	digital-signature-did-not-verify	[this spec]	7.1
1121	digital-signature-type-not-supported	[this spec]	7.1
1122	job-digital-signature-wait	[this spec]	7.1

1123

1124 **13.3 Enum Attribute Values**

1125 The following table lists all the new enum attribute values defined in this document as additional type2 enum values.  
1126 These are to be registered according to the procedures in RFC 2911 [rfc2911] section 6.1.

1127

1128	job-finishings (1setOf type2 enum)	[this spec]	5.1.4
1129	<enum values are the same as "finishings">		

1130

1131	operations-supported (type2 enum)	[rfc2911]	4.4.15
1132	0x000F Close-Job	[this spec]	3.1

1133

1134 **13.4 Operations**

1135 The following table lists all of the operations defined in this document. These are to be registered according to the  
1136 procedures in RFC 2911 [rfc2911] section 6.4.

1137

1138	Operations	Reference	Section
1139	-----	-----	-----
1140	Close-Job	[this spec]	3.1

## 1141 **14 Internationalization Considerations**

1142 The internationalization considerations for the extensions defined in this specification are the same as for handling  
1143 the Job object in [rfc2911].

## 1144 **15 Security Considerations**

1145 Printer implementations MUST ensure that the Close-Job operation is being performed by a client with proper  
1146 authorization. Otherwise, a malicious user could close other people's jobs, thereby denying the rightful owner from  
1147 adding additional documents to his/her Job. See section 3.1.

## 1148 **16 Contributors**

1149 Don Fullman, Xerox  
1150 Ira McDonald, High North  
1151 Dennis Carney, IBM

## 1152 **17 Acknowledgments**

## 1153 **18 Author's Address**

1154 Tom Hastings  
1155 Xerox Corporation  
1156 737 Hawaii St.  
1157 El Segundo, CA 90245  
1158  
1159 Phone: 310 333-6413  
1160 Fax: 310 333-5514  
1161 e-mail: [hastings@cp10.es.xerox.com](mailto:hastings@cp10.es.xerox.com)

1162  
1163 Peter Zehler  
1164 Xerox Corporation  
1165 MS: 0128-30E  
1166 800 Phillips Road  
1167 Webster, NY 14580-9701

1168  
1169 Phone: 1+585+2658755  
1170 Fax:  
1171 e-mail: [PZehler@crt.xerox.com](mailto:PZehler@crt.xerox.com)

## 1172 **19 Annex B: Change Log (informative)**

1173 The following summaries of the changes in reverse chronological order:

1174 Version 0.1, 18 May 2003:  
1175 1. Split document out of Document Object specification.

- 1176 2. Moved "document-format-target" and "document-format-version-target" from the Job Template section to the  
1177 Operation Attributes section so that it can be supplied with Document Creation operations and so that it  
1178 MUST be honored, even if "job-attribute-fidelity" is 'false' or omitted.  
1179 3. Removed all Document Description attributes and the concept of Job Level and Document Level. That  
1180 terminology is introduced in the Document Object spec [ippdoc]. Now [ippdoc] is only an Informative  
1181 Reference, not a Normative Reference.  
1182

1183 Version 0.2, 19 May 2003:

- 1184 1. Did *not* include the document-format-target and document-format-version-target attributes. PSI has their own  
1185 definitions and we can avoid the discussion as to whether they should be Document Template attributes or  
1186 Operation attributes on Document Creation operations and whether there should be a "document-format-  
1187 target-default" and a "document-format-version-target-default".  
1188