

What SNMP Printer MIB objects should be carried forward to new CIM PrinterDevice class?																										
Last updated 20060823.1700 RBL																										
SNMP Object Name	Relevant ?	Rick Landau			Harry Lewis			Ira McDonald			Bill Wagner			Craig Whittle			Peter Zehler			Discussion ?	Comments	Ira's Comments				
		A	B	C	A	B	C	A	B	C	A	B	C	A	B	C	A	B	C							
prtGeneral	n/a			0			0			0			0			0			0							
prtGeneralTable	n/a			0			0			0			0			0			0							
prtGeneralEntry	n/a			0			0			0			0			0			0							
prtGeneralConfigChanges			1			1		1				1		1			1			y	Leftover from SNMP polling	Device event trigger [1]				
prtGeneralCurrentLocalization		1			1			1			1			1			1								Already mapped [2]	
prtGeneralReset				1			1			1			1			1			1		Is this useful or just dangerous?	Bad command object [4]				
prtGeneralCurrentOperator				1		1			1				1		1			1			Covered by MIB2:sysContact					
prtGeneralServicePerson				1	1			1					1		1			1		y		NMS trouble tickets [10]				
prtInputDefaultIndex		1			1			1					1					1							Defaults/Chaining [11]	
prtOutputDefaultIndex		1			1			1					1					1								Defaults/Chaining [11]
prtMarkerDefaultIndex		1			1			1					1					1								Defaults/Chaining [11]
prtMediaPathDefaultIndex		1			1			1					1					1								Defaults/Chaining [11]
prtConsoleLocalization			1		1			1					1					1			Not likely to be managed remotely	Should be mapped [3]				
prtConsoleNumberOfDisplayLines		1			1			1					1					1								
prtConsoleNumberOfDisplayChars		1			1			1					1					1								
prtConsoleDisable		1			1				1	1				1				1		y		Bad command object [4]				
prtAuxiliarySheetStartupPage				1			1		1				1				1		1		Controlled by print service	Desirable [5]				
prtAuxiliarySheetBannerPage				1			1		1				1				1		1			Desirable [5]				
prtGeneralPrinterName			1		1			1					1				1			y	Good idea, if different from sysName	Desirable [5]				
prtGeneralSerialNumber		1			1			1					1				1				Often asked-for	Important [5]				
prtAlertCriticalEvents				1	1			1					1				1			y		Important [5]				
prtAlertAllEvents				1			1	1					1	1						1		Important [5]				
prtCover	n/a			0			0			0			0				0			0						
prtCoverTable	n/a			0			0			0			0				0			0						
prtCoverEntry	n/a			0			0			0			0				0			0						
prtCoverIndex	n/a			0			0	1					0				0			0	y	Indices are Keys [6]				
prtCoverDescription				1			1	1					1				1			1	y	Description object [7]				
prtCoverStatus			1			1		1					1					1		y	Need to know remotely if *some* cover is open, but don't care which one. Let the front panel display tell the user which one to close.	Status object [8]				
prtLocalization	n/a			0			0			0			0				0			0						
prtLocalizationTable	n/a			0			0			0			0				0			0						
prtLocalizationEntry	n/a			0			0			0			0				0			0						
prtLocalizationIndex	n/a			0			0			1			0				0			0						
prtLocalizationLanguage			1			1		1					1				1			1	y	Already mapped [2]				
prtLocalizationCountry			1			1		1					1				1			1	y	Already mapped [2]				

SNMP Object Name	Relevant ?	Rick Landau			Harry Lewis			Ira McDonald			Bill Wagner			Craig Whittle			Peter Zehler			Discussion ?	Comments	Ira's Comments
		A	B	C	A	B	C	A	B	C	A	B	C	A	B	C	A	B	C			
prtLocalizationCharacterSet			1			1		1			1			1			1			y		Already mapped [2]
prtStorageRefTable	n/a			0			0			0			0			0			0			
prtStorageRefEntry	n/a			0			0			0			0			0			0			
prtStorageRefSeqNumber				1			1			1			1			1			1		Office printers not multiple heads	
prtStorageRefIndex				1			1			1			1			1			1			
prtDeviceRefTable	n/a			0			0			0			0			0			0			
prtDeviceRefEntry	n/a			0			0			0			0			0			0			
prtDeviceRefSeqNumber				1			1			1			1			1			1		Office printers not multiple heads	
prtDeviceRefIndex				1			1			1			1			1			1			
prtInput	n/a			0			0			0			0			0			0			
prtInputTable	n/a			0			0			0			0			0			0			
prtInputEntry	n/a			0			0			0			0			0			0			
prtInputIndex	n/a			0			0	1					0			0			0	y		Indices are Keys [6]
prtInputType		1			1			1			1			1			1					Types [16]
prtInputDimUnit		1				1		1			1			1			1			y		Units are needed [12]
prtInputMediaDimFeedDirDeclared		1				1		1			1			1			1			y		Dimensions/Limits [14]
prtInputMediaDimXFeedDirDeclared		1				1		1			1			1			1			y		Dimensions/Limits [14]
prtInputMediaDimFeedDirChosen				1			1		1				1			1			1		Only good for unusual sizes	
prtInputMediaDimXFeedDirChosen				1			1		1				1			1			1			
prtInputCapacityUnit		1			1			1			1			1			1					Units are needed [12]
prtInputMaxCapacity		1			1			1			1			1			1					Status object [8]
prtInputCurrentLevel		1			1			1			1			1			1					Status object [8]
prtInputStatus		1			1			1			1			1			1					Status object [8]
prtInputMediaName		1			1			1			1			1			1					Names are Keys [13]
prtInputName		1			1			1			1			1			1					Names are Keys [13]
prtInputVendorName				1			1			1			1			1			1		Implied by sysDescr and hrPrinterDescr	
prtInputModel				1			1		1				1		1				1	y	Same	Model object [9]
prtInputVersion				1			1		1				1		1				1	y		Description object [7]
prtInputSerialNumber				1			1			1			1		1				1		Production printers maybe	
prtInputDescription		1			1			1			1			1			1					Description object [7]
prtInputSecurity				1			1			1			1			1			1			Bad command object [4]
prtInputMediaWeight			1			1			1				1			1		1	y		Name, Type and Color are sufficient	
prtInputMediaType		1			1			1			1			1			1					Types [16]
prtInputMediaColor		1			1			1			1			1		1						Description object [7]
prtInputMediaFormParts				1			1			1			1			1			1		Sheet-feed, not continuous forms	
prtInputMediaLoadTimeout				1			1			1			1			1			1			
prtInputNextIndex				1			1	1					1			1			1	y		Defaults/Chaining [11]
prtOutput	n/a			0			0			0			0			0			0			
prtOutputTable	n/a			0			0			0			0			0			0			
prtOutputEntry	n/a			0			0			0			0			0			0			

SNMP Object Name	Relevant ?	Rick Landau			Harry Lewis			Ira McDonald			Bill Wagner			Craig Whittle			Peter Zehler			Discussion ?	Comments	Ira's Comments
		A	B	C	A	B	C	A	B	C	A	B	C	A	B	C	A	B	C			
prtOutputIndex	n/a			0			0	1					0			0			0	y		Indices are Keys [6]
prtOutputType		1			1			1			1			1			1					Types [16]
prtOutputCapacityUnit		1			1			1			1			1			1					Units are needed [12]
prtOutputMaxCapacity		1			1			1			1			1			1					Status object [8]
prtOutputRemainingCapacity		1			1			1			1			1			1					Status object [8]
prtOutputStatus		1			1			1			1			1			1					Status object [8]
prtOutputName		1			1			1			1			1			1					Names are Keys [13]
prtOutputVendorName				1			1			1			1			1			1		Implied by sysDescr, no bolt-on attachments	
prtOutputModel				1			1		1				1		1				1	y		Model object [9]
prtOutputVersion				1			1		1				1		1				1	y		Description object [7]
prtOutputSerialNumber				1			1				1			1					1			
prtOutputDescription		1			1			1			1			1			1					Description object [7]
prtOutputSecurity				1			1			1			1			1			1			Bad command object [4]
prtOutputDimUnit			1			1	1				1		1						1	y		Units are needed [12]
prtOutputMaxDimFeedDir			1			1	1				1		1						1	y		Dimensions/Limits [14]
prtOutputMaxDimXFeedDir			1			1	1				1		1						1	y		Dimensions/Limits [14]
prtOutputMinDimFeedDir			1			1	1				1		1						1	y		Dimensions/Limits [14]
prtOutputMinDimXFeedDir			1			1	1				1		1						1	y		Dimensions/Limits [14]
prtOutputStackingOrder				1			1		1				1		1			1	y		No face-up since LaserWriter	Order/Orientation [15]
prtOutputPageDeliveryOrientation				1			1		1				1		1				1	y		Order/Orientation [15]
prtOutputBursting				1			1			1			1		1				1		No continuous forms	
prtOutputDecollating				1			1			1			1		1				1			
prtOutputPageCollated				1			1			1			1		1				1			
prtOutputOffsetStacking			1			1				1			1					1				
prtMarker	n/a			0			0			0			0			0			0			
prtMarkerTable	n/a			0			0			0			0			0			0			
prtMarkerEntry	n/a			0			0			0			0			0			0			
prtMarkerIndex	n/a			0			0	1					0			0			0			Indices are Keys [6]
prtMarkerMarkTech				1	1			1					1		1				1	y		
prtMarkerCounterUnit		1			1			1			1			1					1			Units are needed [12]
prtMarkerLifeCount		1			1			1			1			1					1			Status object [8]
prtMarkerPowerOnCount			1				1		1				1		1				1	y		Status object [8]
prtMarkerProcessColorants		1			1			???			1								1	y		
prtMarkerSpotColorants		1			1			1			1			1					1			
prtMarkerAddressabilityUnit			1			1	1				1		1						1	y		Units are needed [12]
prtMarkerAddressabilityFeedDir			1			1	1				1		1						1	y		Dimensions/Limits [14]
prtMarkerAddressabilityXFeedDir			1			1	1				1		1						1	y		Dimensions/Limits [14]
prtMarkerNorthMargin				1			1			1			1						1			
prtMarkerSouthMargin				1			1			1			1						1			
prtMarkerWestMargin				1			1			1			1						1			
prtMarkerEastMargin				1			1			1			1						1			

SNMP Object Name	Relevant ?	Rick Landau			Harry Lewis			Ira McDonald			Bill Wagner			Craig Whittle			Peter Zehler			Discussion ?	Comments	Ira's Comments
		A	B	C	A	B	C	A	B	C	A	B	C	A	B	C	A	B	C			
prtMarkerStatus		1			1			1			1			1			1					Status object [8]
prtMarkerSupplies	n/a			0			0			0			0			0						
prtMarkerSuppliesTable	n/a			0			0			0			0			0						
prtMarkerSuppliesEntry	n/a			0			0			0			0			0						
prtMarkerSuppliesIndex	n/a			0			0	1					0			0						Indices are Keys [6]
prtMarkerSuppliesMarkerIndex		1			1			1			1			1			1					Indices are Keys [6]
prtMarkerSuppliesColorantIndex		1			1			1			1			1			1					Indices are Keys [6]
prtMarkerSuppliesClass			1			1		1			1			1			1					Types [16]
prtMarkerSuppliesType		1			1			1			1			1			1					Types [16]
prtMarkerSuppliesDescription		1			1			1			1			1			1					Description object [7]
prtMarkerSuppliesSupplyUnit		1			1			1			1			1			1					Units are needed [12]
prtMarkerSuppliesMaxCapacity		1			1			1			1			1			1					Status object [8]
prtMarkerSuppliesLevel		1			1			1			1			1			1					Status object [8]
prtMarkerColorant	n/a			0			0			0			0			0						
prtMarkerColorantTable	n/a			0			0			0			0			0						
prtMarkerColorantEntry	n/a			0			0			0			0			0						
prtMarkerColorantIndex	n/a			0			0	1					0			0				y		Indices are Keys [6]
prtMarkerColorantMarkerIndex		1			1			1			1			1			1					Indices are Keys [6]
prtMarkerColorantRole		1			1			1			1			1			1					Types [16]
prtMarkerColorantValue		1			1			1			1			1			1					Description object [7]
prtMarkerColorantTonality				1			1	1			1			1			1			y		Dimensions/Limits [14]
prtMediaPath	n/a			0			0			0			0			0						
prtMediaPathTable	n/a			0			0			0			0			0						
prtMediaPathEntry	n/a			0			0			0			0			0						
prtMediaPathIndex	n/a			0			0	1					0			0				y		Indices are Keys [6]
prtMediaPathMaxSpeedPrintUnit		1			1			1			1			1			1			y		Units are needed [12]
prtMediaPathMediaSizeUnit		1			1			1			1			1			1			y		Units are needed [12]
prtMediaPathMaxSpeed			1		1			1			1			1			1			y		I prefer speed measured in ppm
prtMediaPathMaxMediaFeedDir		1				1	1				1			1			1			y		Dimensions/Limits [14]
prtMediaPathMaxMediaXFeedDir		1				1	1				1			1			1			y		Dimensions/Limits [14]
prtMediaPathMinMediaFeedDir		1				1	1				1			1			1			y		Dimensions/Limits [14]
prtMediaPathMinMediaXFeedDir		1				1	1				1			1			1			y		Dimensions/Limits [14]
prtMediaPathType		1			1			1			1			1			1			y		Types [16]
prtMediaPathDescription		1			1			1			1			1			1			y		Description object [7]
prtMediaPathStatus		1			1			1			1			1			1			y		Status object [8]
prtChannel	n/a			0			0			0			0			0						
prtChannelTable	n/a			0			0			0			0			0						
prtChannelEntry	n/a			0			0			0			0			0						
prtChannelIndex	n/a			0			0	1					0			0				y		Indices are Keys [6]
prtChannelType		1			1			1			1			1			1					Types [16]
prtChannelProtocolVersion		1			1			1			1			1			1					Description object [7]
prtChannelCurrentJobCntLangIndex		1			1			1			1			1			1					Status object [8]

SNMP Object Name	Relevant ?	Rick Landau			Harry Lewis			Ira McDonald			Bill Wagner			Craig Whittle			Peter Zehler			Discussion ?	Comments	Ira's Comments
		A	B	C	A	B	C	A	B	C	A	B	C	A	B	C	A	B	C			
prtChannelDefaultPageDescLangIndex		1			1			1			1			1			1					Defaults/Chaining [11]
prtChannelState		1			1			1			1			1			1					Status object [8]
prtChannelIfIndex		1			1			1			1			1			1					Indices are Keys [6]
prtChannelStatus		1			1			1			1			1			1					Status object [8]
prtChannelInformation				1	1			1			1					1	1					Description object [7]
prtInterpreter	n/a			0			0			0			0			0			0			
prtInterpreterTable	n/a			0			0			0			0			0			0			
prtInterpreterEntry	n/a			0			0			0			0			0			0			
prtInterpreterIndex	n/a			0			0	1					0			0			0			Indices are Keys [6]
prtInterpreterLangFamily		1			1			1			1			1			1					Description object [7]
prtInterpreterLangLevel			1			1			1			1			1			1				Description object [7]
prtInterpreterLangVersion				1			1	1				1			1				1	y		Description object [7]
prtInterpreterDescription		1			1			1			1			1			1					Description object [7]
prtInterpreterVersion				1			1	1					1			1			1			Description object [7]
prtInterpreterDefaultOrientation				1			1	1					1			1			1			Defaults/Chaining [11]
prtInterpreterFeedAddressability			1			1		1				1			1		1		1	y		Dimensions/Limits [14]
prtInterpreterXFeedAddressability			1			1		1				1			1		1		1	y		Dimensions/Limits [14]
prtInterpreterDefaultCharSetIn				1			1	1				1			1		1		1	y		Defaults/Chaining [11]
prtInterpreterDefaultCharSetOut				1			1	1				1			1		1		1	y		Defaults/Chaining [11]
prtInterpreterTwoWay				1			1	1				1			1		1		1	y		Description object [7]
prtConsoleDisplayBuffer	n/a			0			0			0			0			0			0			
prtConsoleDisplayBufferTable	n/a			0			0			0			0			0			0			
prtConsoleDisplayBufferEntry	n/a			0			0			0			0			0			0			
prtConsoleDisplayBufferIndex	n/a			0			0	1					0			0			0	y		Indices are Keys [6]
prtConsoleDisplayBufferText		1			1			1			1			1			1					Status object [8]
prtConsoleLights	n/a			0			0			0			0			0			0			
prtConsoleLightTable	n/a			0			0			0			0			0			0			
prtConsoleLightEntry	n/a			0			0			0			0			0			0			
prtConsoleLightIndex	n/a			0			0	1					0			0			0	y		Indices are Keys [6]
prtConsoleOnTime			1				1		1				1			1			1	y		Dimensions/Limits [14]
prtConsoleOffTime			1				1		1				1			1			1	y		Dimensions/Limits [14]
prtConsoleColor			1				1	1					1			1			1	y		Description object [7]
prtConsoleDescription			1				1	1					1			1			1	y		Description object [7]
prtAlert	n/a			0			0			0			0			0			0			
prtAlertTable	n/a			0			0			0			0			0			0			
prtAlertEntry	n/a			0			0			0			0			0			0			
prtAlertIndex	n/a			0			0	1					0			0			0	y		Indices are Keys [6]
prtAlertSeverityLevel		1			1			1			1			1			1					Status object [8]
prtAlertTrainingLevel			1			1		1				1			1			1		y		Status object [8]
prtAlertGroup		1			1			1			1			1			1					Description object [7]
prtAlertGroupIndex		1			1			1			1			1			1					Indices are Keys [6]
prtAlertLocation		1			1			1			1			1			1					Status object [8]

SNMP Object Name	Relevant ?	Rick Landau			Harry Lewis			Ira McDonald			Bill Wagner			Craig Whittle			Peter Zehler			Discussion ?	Comments	Ira's Comments
		A	B	C	A	B	C	A	B	C	A	B	C	A	B	C	A	B	C			
prtAlertCode		1			1			1			1			1			1					Status object [8]
prtAlertDescription		1			1			1			1			1			1					Description object [7]
prtAlertTime		1			1			1			1			1			1					Status object [8]
printerV1Alert	n/a			0			0			0			0			0						
printerV2AlertPrefix	n/a			0			0			0			0			0						
printerV2Alert	n/a			0			0			0			0			0						
Total counts		70	28	45	66	19	58	112	21	22	65	24	54	69	35	38	64	24	55			
Total total				143			143			155			143			142			143			
Notes (Ira's Comments):																						
[1] WIMS Events.xsd defines REQUIRED 'DeviceConfigChanged' and IPP Notifications (RFC 3995) defines OPTIONAL 'PrinterConfigChanged'. Printer MIB v2 'PrtAlertCodeTC' defines 'configurationChange' trap _triggered_ by the change in 'prtGeneralConfigChanges' - this is NOT just "left over from SNMP polling" - a special mapping may be needed to restrict CIM property to other CIM-visible properties.																						
[2] 'prtGeneralCurrentLocalization' already mapped to 'CurrentCharset' and 'CurrentNaturalLanguage' - no work for Phase 2.																						
[3] WIMS Subunits.xsd defines REQUIRED 'ConsoleNaturalLanguage' for the 'Console' subunit (charset is fixed at UTF-8 for WIMS/PWG SM).																						
[4] 'prtGeneralReset', 'prtConsoleDisable', 'prtInputSecurity', and 'prtOutputSecurity' are bad read-write command objects! 'prtConsoleDisable' is especially dangerous (it can remotely lock the local device console - a terrible "feature").																						
[5] With strong industry concensus all of these new general objects were added to Printer MIB v2 - they SHOULD NOT be left out of CIM.																						
[6] Index objects in the Printer MIB are _keys_ and REQUIRED in WIMS Subunits.xsd - implicit ordering (in an array) will fail because indices in Printer MIB tables are NOT required to be contiguous and frequenting have 'holes' in practice. Rick's comment on 'prtCoverIndex' confuses events and status (can be rolled) with device capabilities (lists of specific configuration). The lists of all basic subunits (Covers, Input, etc.) SHOULD be included in CIM.																						
[7] Description objects are REQUIRED and localized in the Printer MIB.																						

SNMP Object Name	Relevant ?	Rick Landau			Harry Lewis			Ira McDonald			Bill Wagner			Craig Whittle			Peter Zehler			Discussion ?	Comments	Ira's Comments	
		A	B	C	A	B	C	A	B	C	A	B	C	A	B	C	A	B	C				
Descriptions of all basic subunits (Covers, Input, etc.) SHOULD be included in CIM.																							
[8] Status objects are REQUIRED in Printer MIB and WIMS Subunits.xsd.																							
[9] Model objects are desirable in CIM. Ricks' comment that they're implied by 'sysDescr' and 'hrDeviceDescr' is incorrect - third parties manufacture stackers, bins, etc. for many laser printers.																							
[10] Existing NMS plug-ins write "trouble tickets" using the value of 'prtGeneralServicePerson' - this is useful remotely.																							
[11] Defaults (e.g., 'prtInputDefaultIndex') and input tray chaining (i.e., 'prtInputNextIndex') are important configuration elements.																							
[12] Units (e.g., 'prtInputDimUnit') are needed (unless the DMTF CIM mapping forces conversion to a fixed unit for the element).																							
[13] Name objects in the Printer MIB are alternate keys and RECOMMENDED in WIMS 'Subunits.xsd' - WIMS allows searching by id, name, or URI.																							
[14] Dimensions and limits (e.g., 'prtInputMediaDimFeedDirDeclared') are important configuration elements.																							
[15] 'prtOutputStackingOrder' and 'prtOutputPageDeliveryOrientation' are not as obsolete as Rick's note implies - Fuji Xerox currently makes some face-up and some face-down printer engines.																							
[16] Type objects (e.g., 'prtInputType' and 'prtMarkerMarkTech') are important machine-readable descriptive elements.																							